NOVA LUCE

Outdoor

Collection

For brightening your natural moments

our outdoor collection
curated with the intention
to inspire

22 — 199
Bollard

200 — 227
Cement

228 — 315
Wall

316 — 333
Ceiling

334 — 373
Portable Lights

374 — 419
Step Lights

420 — 435
Accent Lights



outdoor

OUTDOOR

Bollard

26 | **ETA**

27 | **DIRA**

28 | **SOLSTICE**

30 | **MABEL**

32 | **VIRTUS**

34 | **IMAN**

37 | **TUBE**

39 | **SASSO**

40 | **STOR**

44 | **BALMA**

47 | **ALLEY**

48 | **KIOO**

51 | **ROB**

53 | **TEK**

54 | **CHIARO**

57 | **SOUL**

57 | **TALA**

59 | **AIRY**

60 | **ROCK**

60 | **NOTEN**

63 | **TAGLIO**

64 | **NEVE**

64 | **PISTILLO**

66 | **METRO**

68 | **BROT**

68 | **NOOI**

70 | **LORD**

70 | **LUXOR**

72 | **GLEAM**

73 | **VEL**

74 | **OFIR**

74 | **POET**

77 | **PIPE**

78 | **ORACLE**

81 | **MOTLEY**

83 | **MOTLEY**

85 | **CARINA**

87 | **NEMO**

87 | **MOOD**

88 | **TOWER**

88 | **NITRO**

90 | **SUITE**

92 | **STONE**

94 | **MAX**

94 | **AGOSTO**

97 | **ADURO**

97 | **TIEN**

97 | **TALA**

99 | **MADDI**

101 | **TALL**

102 | **MINIMAL**

103 | **PORTAL**

105 | **ELLERY**

107 | **ZELDA**

109 | **BRIGITTA**

111 | **BLISS**

111 | **NED**

112 | **VOLVEL**

113 | **TWIN**

114 | **FARGE**

117 | **PARK**

118 | **POSEN**

118 | **ENZI**



120 | **ACQUA**

120 | **APOLLO**

123 | **PYRO**

124 | **STICK**

126 | **FERRON**

127 | **LOCK**

128 | **PEC**

130 | **RAMO**

130 | **CAPO**

132 | **FEND**

134 | **FOCUS**

136 | **SPY**

139 | **SENTO**

141 | **AETHER**

142 | **DYOL**

144 | **DARMA**

146 | **SLOT**

149 | **DESSAY**

150 | **NAWA**

153 | **ARION**

155 | **PAUL**

156 | **DYN**

156 | **LOVETO**

160 | **MOON**

162 | **MOON**

167 | **COSMIC**

168 | **BERNI**

170 | **AKMI**

170 | **MISTI**

172 | **PAX**

175 | **OPTUS**



175 | **SURF**

177 | **AIGO**



177 | **NEREUS**



178 | **ELYSIUM**

181 | **STARK**

181 | **DEVORA**

182 | **PRIVE**

184 | **OPU**

184 | **CUPPA**

187 | **ZEST**

187 | **LOEVE**

189 | **ADORAY**

189 | **FIGO**

190 | **PACIFIC**

192 | **CETERA**

192 | **ZOSIA**

194 | **SELENA**

196 | **OMIKA**

198 | **ISIDORA**

Cement

202 | **NAVY**

204 | **LUA**

206 | **BARCO**

206 | **CAIRO**

208 | **CRAM**

211 | **TURA**

213 | **BEV**

214 | **STAGE**

214 | **NODINO**

216 | **ARAN**

216 | **GRANTE**

219 | **CASTRO**

220 | **LUNA**

221 | **LITA**

222 | **LIDO**

223 | **EMILE**

223 | **FUENTO**

224 | **RITZ**

225 | **PAR**

225 | **EMILE**

226 | **PETRA**

227 | **MINOR**

Wall

230 | **COPPER**

232 | **CICO**

235 | **ALUX**

236 | **MOBY**

238 | **PRIVE**

241 | **SORREN**

241 | **REGINA**

243 | **BREGGO**

244 | **RIDGE**

247 | **ISOS**

249 | **ANETH**

249 | **DOUL**

251 | **PATH**

252 | **NOVA**

253 | **INGA**

254 | **FLORA**

255 | **ALLURE**

256 | **BROWN**

258 | **ASTRAL**

260 | **KEEN**

262 | **LUPO**

262 | **KEEN**

263 | **NOBU**

263 | **ZENON**

263 | **CAPE**

264 | **ARTU**

264 | **FUNGO**

265 | **OONO**

265 | **COMBO**

266 | **NOCTA**

266 | **POLLY**

269 | **ARABELLA**

269 | **MILE**

269 | **FEDOR**

270 | **BRIN**

270 | **ZIRI**

270 | **AGILE**

270 | **GRAVITY**

271 | **PURE**

271 | **NECTAR**

271 | **PARRIS**

272 | **SALLY**

272 | **GERBER**

272 | **VIDENO**

273 | **VALOR**

273 | **TRENDO**

273 | **PRIM**

275 | **EPIC**

275 | **COMO**

277 | **OPERA**

279 | **ZARI**

279 | **COMO**

280 | **ELIO**

282 | **ALP**

283 | **DIO**

284 | **DUOMO**

284 | **SERIKA**

285 | **MILEY**

285 | **VEIRO**

286 | **BRICE**

287 | **DEWEI**

287 | **AZAR**

288 | **BOXY**

290 | **ORION**

291 | **TICK**

292 | **PRATO**

292 | **COMO**

293 | **SOHO**

293 | **ZARO**

293 | **DEWI**

294 | **YOKO**

294 | **WAY**

295 | **YORK**

296 | **BETA**

296 | **NUS**

296 | **DARF**

297 | **HELMET**

297 | **FOCUS**

297 | **OVI**

298 | **TORRIN**

299 | **LUSY**

301 | **NERO**

302 | **NODUS**

303 | **JACKIE**

304 | **LIMBIO**

306 | **LETO**

308 | **ZENITH**

310 | **ARROW**

310 | **TIEPOLO**

313 | **TUNE**

313 | **DROPLET**

314 | **AMEL**

Ceiling

321 | **SPIX**

321 | **ALI**

323 | **SKY**

323 | **OLIVER**

323 | **TOMMY**

324 | **JUDI**

324 | **REO**

326 | **JAX**

327 | **FOCUS**

328 | **LUMINA**

329 | **CECI**

330 | **DARA**

330 | **SPOT**

331 | **CERISE**

333 | **BLADE**

Portable Lights

339 | **PUK**

341 | **GRIGIO**

342 | **ELBO**

344 | **YCRO**

347 | **DALT**

349 | **LUMO**

350 | **CHARGING BASE**

352 | **ROSE**

353 | **FUMO**

355 | **DECK**

356 | **PETIT**

359 | **SEINA**

360 | **COLT**

360 | **COLT**

364 | **JIGRA**

365 | **VERHAL**

366 | **TEGOLO**

367 | **LUCIA**

369 | **BALI**

370 | **MOCHA**

370 | **FIGI**

373 | **PERSEA**

Step Lights

378 | **PAN**

379 | **BRIGI**

379 | **ARNE**

380 | **RODIX**

380 | **FEM**

383 | **NECTAR**

383 | **TOBY**

384 | **SUB**

386 | **LIV**

387 | **VISION**

387 | **RIO**

389 | **PASSO**

391 | **SANGO**

392 | **SOREN**

394 | **APPIA**

397 | **LUTON**

397 | **KRYPTON**

398 | **PULSAR**

400 | **FINLO**

401 | **MORIS**

402 | **KRYPTON**

404 | **ECHO**

404 | **VIVION**

406 | **OFF**

406 | **POLKA**

407 | **POLKA**

407 | **MONO**

408 | **RUDY**

408 | **OLIN**

411 | **AIZEN**

412 | **JOYA**

412 | **KRYPTON**

413 | **CAEL**

413 | **CIRCE**

413 | **COVE**

414 | **COMPO**

414 | **ERIS**

415 | **IKO**

416 | **BANG**

418 | **PASSAGIO**

Accent Lights

424 | **ONE**

424 | **ANDER**

425 | **FOX**

427 | **QUICK**

427 | **CALIX**

428 | **INSIDE**

428 | **MINI**

430 | **STAKE**

431 | **KIMIKO**

431 | **VIDA**

432 | **INSIDE**

432 | **DESTRY**

433 | **NORTH**

434 | **WALL WASHER**

Bollard

Our bollard lights bring a rustic charm to outdoor spaces, blending effortlessly with the natural surroundings. These lights offer a harmonious balance of functionality and artistic design, providing subtle, inviting illumination for gardens, pathways and patios



ETA
— 9136419

Dark Anthracite
Aluminium
& Polycarbonate
LED · 21 Watt
220-240 Vac
1562Lm · 3000K
IP65
—
L: 23
W: 12
H: 200 cm

ETA
— 9136419

DIRA
— 9030161

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 11 Watt
220-240 Vac
472Lm · 3000K
IP65
—
L: 11.5
W: 6.5
H: 200 cm

DIRA
— 9030160

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 6 Watt
220-240 Vac
257Lm · 3000K
IP65
—
L: 11.5
W: 5
H: 65 cm

DIRA
— 9030161

DIRA
— 9030160



SOLSTICE
— 9030626

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1130Lm · 3000K
IP65
—
D: 16
H: 222 cm

SOLSTICE
— 9030627

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1105Lm · 3000K
IP65
—
L: 14.5
W: 14.5
H: 220 cm

SOLSTICE
— 9030626

SOLSTICE
— 9030627

MABEL
— 9002870

Dark Anthracite
Aluminium
& Clear Glass
LED · 17 Watt
220-240 Vac
1190Lm · 3000K
IP54
Beam angle 36°
—
D: 48.9
W: 20.1
H: 201.2 cm
Cable Length: 35 cm

MABEL
— 9002869

Dark Anthracite
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
590Lm · 3000K
IP54
Beam angle 36°
—
D: 7.8
W: 7.8
H: 150 cm
Cable Length: 64 cm

VIRTUS
— 9030572

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1190Lm · 3000K
IP65
—
D1: 30
D2: 12
H: 33 cm

VIRTUS
— 9030573

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1190Lm · 3000K
IP65
Connect with code 9030574 or 9030575
—
D1: 30
D2: 12
H: 27 cm

VIRTUS
— 9030574

Dark Anthracite
Die-Casting
Aluminium
Connect with code 9030573
—
D: 12
H: 55 cm

VIRTUS
— 9030575

Dark Anthracite
Die-Casting
Aluminium
Connect with code 9030573
—
D: 12
H: 155 cm

VIRTUS
— 9030572

VIRTUS
— 9030573

VIRTUS
— 9030574

VIRTUS
— 9030575

IMAN
— 9030108

Sandy Black
Aluminium
& Acrylic
LED · 43 Watt
220-240 Vac
4785Lm · 3000K
IP65
—
D: 16
H: 205 cm

IMAN
— 9030107

Sandy Black
Aluminium
& Acrylic
LED · 25 Watt
220-240 Vac
3037Lm · 3000K
IP65
—
D: 16
H: 105 cm

IMAN
— 9030106

Sandy Black
Aluminium
& Acrylic
LED · 18 Watt
220-240 Vac
2054Lm · 3000K
IP65
—
D: 16
H: 65.5 cm



IMAN
— 9030108



IMAN
— 9030107

IMAN
— 9030106

TUBE
— 9030805

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 14 Watt
220-240 Vac
643Lm · 3000K
IP54
—
D: 13
H: 60 cm

TUBE
— 9030806

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 27 Watt
220-240 Vac
1560Lm · 3000K
IP54
—
D: 13
H: 120 cm

SASSO
— 9030856

Dark Anthracite
Aluminium
& Polycarbonate
LED · 22 Watt
220-240 Vac
818Lm · 3000K
IP54
Light front
—
L: 15
W: 9.5
H: 170 cm

SASSO
— 9030855

Dark Anthracite
Aluminium
& Polycarbonate
LED · 22 Watt
220-240 Vac
756Lm · 3000K
IP54
Light front
—
L: 15
W: 9.5
H: 120 cm

SASSO
— 9026125

Dark Anthracite
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
601Lm · 3000K
IP54
Light front
—
L: 15
W: 9.5
H: 70 cm

SASSO
— 9030854

Dark Anthracite
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
374Lm · 3000K
IP54
Light front
—
L: 15
W: 9.5
H: 40 cm





STOR
— 9030111

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
719Lm · 3000K
IP65
Light back & front
—
L: 8
W: 12
H: 60 cm

STOR
— 9030112

Sandy Black
Aluminium
& Acrylic
LED · 17 Watt
220-240 Vac
989Lm · 3000K
IP65
Light back & front
—
L: 8
W: 12
H: 100 cm

STOR
— 9030113

Sandy Black
Aluminium
& Acrylic
LED · 23 Watt
220-240 Vac
1397Lm · 3000K
IP65
Light back & front
—
L: 8
W: 12
H: 150 cm

ANTI SALT protection

BALMA
— 9080143

Marble Travertine
LED · 10 Watt
220-240 Vac
810Lm · 3000K
IP65
—
D: 10.2
H: 12 cm

BALMA
— 9080142

Marble Travertine
LED · 23 Watt
220-240 Vac
1864Lm · 3000K
IP65
Light up & down
—
D: 11.3
W: 14.7
H: 29 cm

BALMA
— 9080144

Marble Travertine
LED · 21 Watt
220-240 Vac
1005Lm · 3000K
IP65
—
D: 19.2
H: 54 cm

BALMA
— 9080141

Marble Travertine
LED · 21 Watt
220-240 Vac
981Lm · 3000K
IP65
—
D: 19.2
H: 54 cm

ANTI SALT protection

BALMA
— 9080143

BALMA
— 9080142

BALMA
— 9080144



BALMA
— 9080141

ALLEY
— 9136422



ALLEY
— 9136423

ALLEY
— 9136424

ANTI SALT protection



ALLEY
— 9136422

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
365Lm · 3000K
IP65
Beam angle 38°
—
L: 14
W: 8
H: 30 cm

ALLEY
— 9136423

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
365Lm · 3000K
IP65
Beam angle 38°
—
L: 14
W: 8
H: 50 cm

ALLEY
— 9136424

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
365Lm · 3000K
IP65
Beam angle 38°
—
L: 14
W: 8
H: 75 cm

KIOO
— 9136427

Sandy Black
& Wood Color
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
775Lm · 3000K
IP65
2 Lighting types
—
L: 14
W: 8
H: 14 cm

KIOO
— 9136428

Sandy Black
& Wood Color
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
464Lm · 3000K
IP65
—
L: 14
W: 8
H: 50 cm

KIOO
— 9136427

KIOO
— 9136428

ROB
— 9136409

Sandy Black
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
671Lm · 3000K
IP54
Beam angle 52°
—
L: 12
W: 12
H: 12 cm

ROB
— 9136429

Sandy Black
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
464Lm · 3000K
IP65
Beam angle 20°
—
L: 13
W: 15
H: 50 cm

ROB
— 9136430

Sandy Black
Aluminium
& Glass
LED · 13 Watt
220-240 Vac
757Lm · 3000K
IP65
Beam angle 20°
—
L: 13
W: 15
H: 90 cm

Special Reflector: Light up to 12m





TEK
— 9136460

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 105Lm
3000K · IP54
Solar light
With motion sensor
—
L: 11.3
W: 19
H: 5.4 cm

TEK
— 9136461

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 105Lm
3000K · IP54
Solar light
With motion sensor
Included plastic spike (+21cm)
—
L: 11.3
W: 19
H: 65 cm

SOLAR LIGHT

MOTION SENSOR

TEK
— 9136460

TEK
— 9136461

WORKING TIME	Charge: 12-14 hrs
100% of light	15% of light
6 Hrs	350 Hrs

Three Lights Modes
1. Motion: Light up 100% when someone pass by
2. Solar: Light up 100% at night
3. Multifunctional: Light up 15% at night and 100% when someone pass by



CHIARO
— 9136462

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 69Lm
3000K · IP54
Solar light
With motion sensor
Included plastic spike (+21cm)
—
D: 17
H: 50 cm

CHIARO
— 9136463

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 69Lm
3000K · IP54
Solar light
With motion sensor
Included plastic spike (+21cm)
—
D: 17
H: 90 cm

SOLAR LIGHT

MOTION SENSOR

CHIARO
— 9136462

CHIARO
— 9136463

WORKING TIME	Charge: 11-13 hrs
100% of light	15% of light
6 hrs	350 hrs

Three Lights Modes
1. Motion: Light up 100% when someone pass by
2. Solar: Light up 100% at night
3. Multifunctional: Light up 15% at night and 100% when someone pass by

SOUL
— 9030744

Sandy Black
Aluminium
& Glass
LED · 24 Watt
220-240 Vac
712Lm · 3000K
IP65
—
D: 16
H: 43 cm

SOUL
— 9030745

Sandy Black
Aluminium
& Glass
LED · 24 Watt
220-240 Vac
712Lm · 3000K
IP65
—
D: 16
H: 73 cm

TALA
— 9026123

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
594Lm · 3000K
IP54
—
D: 13.4
H: 25 cm

TALA
— 9026124

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
594Lm · 3000K
IP54
—
D: 13.4
H: 70 cm

AIRY
— 9136443

Sandy Black
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
369Lm · 3000K
IP54
—
D: 15
W: 11.5 cm

AIRY
— 9136444

Sandy Black
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
369Lm · 3000K
IP65
—
D: 14.5
H: 25 cm

AIRY
— 9136445

Sandy Black
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
369Lm · 3000K
IP65
—
D: 14.5
H: 65 cm



ANTI SALT protection

AIRY
— 9136443



AIRY
— 9136444

AIRY
— 9136445

ROCK
— 9905025



ROCK
— 9905024

NOTEN
— 9905023

NOTEN
— 9905022

NOTEN
— 9905021

ROCK
— 9905025

Sandy Black
& Silver Aluminium
& Clear Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 43 cm

ROCK
— 9905024

Sandy Black
& Silver Aluminium
& Clear Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 83 cm

NOTEN
— 9905023

Sandy Black
Aluminium
Clear & Frost
Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 20 cm

NOTEN
— 9905022

Sandy Black
Aluminium
Clear & Frost
Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 40 cm

NOTEN
— 9905021

Sandy Black
Aluminium
Clear & Frost
Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 80 cm

TAGLIO
— 9695505

Sandy Black
Aluminium
LED · 3 Watt
220-240 Vac
175Lm · 3000K
IP65
—
D: 12
H: 24 cm

TAGLIO
— 9695506

Sandy Black
Aluminium
LED · 5 Watt
220-240 Vac
332Lm · 3000K
IP65
—
D: 12
H: 45 cm

TAGLIO
— 9695507

Sandy Black
Aluminium
LED · 8 Watt
220-240 Vac
535Lm · 3000K
IP65
—
D: 12
H: 65 cm



NEVE
— 9030718

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
600Lm · 3000K
IP65
—
D: 13
H: 30 cm

NEVE
— 9030719

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
600Lm · 3000K
IP65
—
D: 13
H: 50 cm

PISTILLO
— 9136425

Sandy Black
Aluminium
& Polycarbonate
LED · 13 Watt
220-240 Vac
950Lm · 3000K
IP65
—
D: 14.5
H: 50 cm

PISTILLO
— 9136426

Sandy Black
Aluminium
& Polycarbonate
LED · 13 Watt
220-240 Vac
950Lm · 3000K
IP65
—
D: 14.5
H: 90 cm

ANTI SALT protection

METRO
— 9030716



METRO
— 9030717



METRO
— 9030114



METRO
— 9030716

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
405Lm · 3000K
IP65
—
D: 30
H: 34 cm

METRO
— 9030717

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
405Lm · 3000K
IP65
—
D: 40
H: 44 cm

METRO
— 9030114

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
883Lm · 3000K
IP65
—
D: 60
H: 65 cm

BROT
— 9186709

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
277Lm · 3000K
IP65
—
D: 9
H: 29.5 cm

BROT
— 9186710

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
277Lm · 3000K
IP65
—
D: 9
H: 59.5 cm

NOOI
— 9971466

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
185Lm · 3000K
IP65
Beam angle 12°
—
D: 10.5
H: 30 cm

NOOI
— 9971467

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
185Lm · 3000K
IP65
Beam angle 12°
—
D: 10.5
H: 60 cm



LORD
— 9060247

LUXOR
— 9060249

LORD
— 9060248

LUXOR
— 9060250

LORD
— 9060247

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
217Lm · 3000K
IP65
—
D: 8
H: 60 cm

LUXOR
— 9060249

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
143Lm · 3000K
IP65
—
D: 8
H: 60 cm

LORD
— 9060248

Sandy Black
Aluminium
LED · 8 Watt
220-240 Vac
356 Lm · 3000K
IP65
—
D: 8
H: 90 cm

LUXOR
— 9060250

Sandy Black
Aluminium
LED · 8 Watt
220-240 Vac
378 Lm · 3000K
IP65
—
D: 8
H: 90 cm



GLEAM
— 9030846

Dark Anthracite
Aluminium
& Clear Glass
LED · 5 Watt
100-240 Vac
183Lm · 3000K
IP65
—
L: 20
D: 3
H: 60 cm

GLEAM
— 9030847

Dark Anthracite
Aluminium
& Clear Glass
LED · 5 Watt
100-240 Vac
183Lm · 3000K
IP65
—
L: 20
D: 3
H: 80 cm

GLEAM
— 9030846

GLEAM
— 9030847

VEL
— 9030723

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
700Lm · 3000K
IP65
—
L: 9.5
H: 61 cm

VEL
— 9030724

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
700Lm · 3000K
IP65
—
L: 9.5
H: 80 cm



VEL
— 9030723



VEL
— 9030724





OFIR
— 9002866

Dark Anthracite
& Acrylic
LED · 10 Watt
220-240 Vac
660Lm · 3000K
IP54
—
L: 8
W: 7
H: 16 cm

OFIR
— 9002867

Dark Anthracite
& Acrylic
LED · 10 Watt
220-240 Vac
660Lm · 3000K
IP54
—
L: 16
W: 8
H: 50 cm

OFIR
— 9002868

Dark Anthracite
& Acrylic
LED · 10 Watt
220-240 Vac
660Lm · 3000K
IP54
—
L: 16
W: 8
H: 75 cm

POET
— 9492780

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 16 Watt
220-240 Vac
1177Lm · 3000K
IP65
—
L: 23.5
W: 10
H: 65 cm

POET
— 9492770

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
560Lm · 3000K
IP65
—
L: 13.5
W: 10
H: 65 cm

PIPE
— 9060263

PIPE
— 9060264





PIPE
— 9060261

PIPE
— 9060262

PIPE
— 9060263

Sandy Black
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 64.5 cm

PIPE
— 9060264

Corten
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 64.5 cm

PIPE
— 9060261

Sandy Black
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 94.5 cm

PIPE
— 9060262

Corten
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 94.5 cm

ANTI SALT protection

ORACLE
— 9060243

Sandy Black
Aluminium
& Opal Glass
LED · 9 Watt
220-240 Vac
425Lm · 3000K
IP65
—
L: 12
W: 21.8
H: 17.5 cm

LED · IP65 · WARM WHITE · DRIVER INCL.

ORACLE
— 9060244

Corten
Aluminium
& Opal Glass
LED · 9 Watt
220-240 Vac
425Lm · 3000K
IP65
—
L: 12
W: 21.8
H: 17.5 cm

LED · IP65 · WARM WHITE · DRIVER INCL.

ORACLE
— 9060245

Sandy Black
Aluminium
& Opal Glass
LED · 8 Watt
220-240 Vac
326Lm · 3000K
IP65
—
L: 12
W: 21
H: 90 cm

LED · IP65 · WARM WHITE · DRIVER INCL.

ORACLE
— 9060246

Sandy Black
Aluminium
& Opal Glass
LED · 8 Watt
220-240 Vac
326 Lm · 3000K
IP65
—
L: 12
W: 21
H: 60 cm

LED · IP65 · WARM WHITE · DRIVER INCL.

ORACLE
— 9060243

GL90602431

ORACLE
— 9060244

ORACLE
— 9060245

ORACLE
— 9060246



MOTLEY
— 9060323



MOTLEY
— 9060320



MOTLEY
— 9060232

MOTLEY
— 9060230



ANTI SALT protection

MOTLEY
— 9060323

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
H: 175 cm

MOTLEY
— 9060320

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
H: 35 cm

MOTLEY
— 9060232

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
W: 18.5
H: 70 cm

MOTLEY
— 9060230

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
W: 18.5
H: 100 cm

MOTLEY
— 9060322



MOTLEY
— 9060321



MOTLEY
— 9060233

MOTLEY
— 9060231

ANTI SALT protection

MOTLEY
— 9060322

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
H: 175 cm

MOTLEY
— 9060321

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
H: 35 cm

MOTLEY
— 9060233

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
W: 18.5
H: 70 cm

MOTLEY
— 9060231

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
W: 18.5
H: 100 cm



CARINA
— 9060207

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65
—
D: 18
H: 150 cm

CARINA
— 9060208

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65
—
D: 18
W: 21.5
H: 30 cm

CARINA
— 9060213

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65
—
D: 18
W: 27
H: 90 cm





NEMO
— 9030861

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
424Lm · 3000K
IP65
—
D: 11
H: 20 cm

MOOD
— 9030858

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 20 cm

MOOD
— 9030857

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 20 cm

MOOD
— 9030859

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 40 cm

ANTI SALT protection









NEMO
— 9030862

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
424Lm · 3000K
IP65
—
D: 11
H: 40 cm

MOOD
— 9030860

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 40 cm

MOOD
— 9030949

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
Included plastic spike (+21cm)
—
D: 11
H: 20 cm

TOWER
— 9030824

TOWER
— 9030825

TOWER
— 9030826

NITRO
— 9030748

NITRO
— 9030749

NITRO
— 9030750





TOWER
— 9030824

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · 8 Watt
220-240 Vac
714Lm · 3000K
IP65
—
D: 16.5
W: 5.8

TOWER
— 9030825

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · 8 Watt
220-240 Vac
714Lm · 3000K
IP65
—
D: 16.5
W: 5.8

TOWER
— 9030826

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · 8 Watt
220-240 Vac
714Lm · 3000K
IP65
—
D: 16
H: 52 cm

NITRO
— 9030748

Sandy Black
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
469Lm · 3000K
IP65
—
D: 15
W: 3.5 cm

NITRO
— 9030749

Sandy Black
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
469Lm · 3000K
IP65
—
D: 15
H: 23.7 cm

NITRO
— 9030750

Sandy Black
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
469Lm · 3000K
IP65
—
D: 15
H: 43.7 cm

SUITE
— 859439

SUITE
— 9297191

SUITE
— 859438

SUITE
— 9207167

SUITE
— 9207168

SUITE
— 859439

Sandy White
Aluminium
& Acrylic
LED · 10 Watt
100-240 Vac
485Lm · 3000K
IP54
—
D: 15
W: 5 cm

SUITE
— 9297191

Dark Anthracite
Aluminium
& Acrylic
LED · 10 Watt
100-240 Vac
485Lm · 3000K
IP54
—
D: 15
W: 5 cm

SUITE
— 859438

Dark Gray
Aluminium
& Acrylic
LED · 10 Watt
100-240 Vac
485Lm · 3000K
IP54
—
D: 15
W: 5 cm

SUITE
— 9207167

Dark Gray
Aluminium
& Acrylic
LED · 12 Watt
110-265 Vac
480Lm · 3000K
IP54
—
D: 18
H: 60 cm

SUITE
— 9207168

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
480Lm · 3000K
IP54
—
D: 18
H: 60 cm

STONE
— 9002850

STONE
— 9002851



STONE
— 9002860



STONE
— 9002850

Sandy White
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 12
W: 15
H: 23 cm

STONE
— 9002851

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 12
W: 15
H: 23 cm

STONE
— 9002860

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 12
H: 65 cm

MAX
— 9026002

MAX
— 9026001

AGOSTO
— 9207615

AGOSTO
— 9207616

AGOSTO
— 9277151



MAX
— 9026002

Dark Gray ABS
Clear & White
Acrylic
LED · 12 Watt
200-240 Vac
1307Lm · 3000K
IP65
—
D: 16
W: 10 cm

MAX
— 9026001

Dark Gray ABS
Clear & White
Acrylic
LED · 12 Watt
200-240 Vac
1307Lm · 3000K
IP65
—
L: 16
W: 10
H: 16 cm

AGOSTO
— 9207615

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 6 Watt
100-240 Vac
420Lm · 3000K
IP54
—
D: 11
W: 11 cm

AGOSTO
— 9207616

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 6 Watt
100-240 Vac
420Lm · 3000K
IP54
—
L: 11
W: 11
H: 11 cm

AGOSTO
— 9277151

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 6 Watt
100-240 Vac
420Lm · 3000K
IP54
—
D: 11
W: 50 cm

ADURO
— 9002871

Dark Anthracite
Aluminium
& Frost Acrylic
LED · 8 Watt
200-240 Vac
460Lm · 3000K
IP54
—
D: 7.5
W: 11.7
H: 35 cm

ADURO
— 9002872

Dark Anthracite
Aluminium
& Frost Acrylic
LED · 8 Watt
200-240 Vac
460Lm · 3000K
IP54
—
D: 7.5
W: 11.7
H: 65 cm

TIEN
— 9002878

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
200-240 Vac
470Lm · 3000K
IP54
Beam angle 55°
—
D: 9
H: 25 cm

TIEN
— 9002879

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
200-240 Vac
470Lm · 3000K
IP54
Beam angle 55°
—
D: 9
H: 65 cm

TALA
— 9026122

Sandy Black
Aluminium
& Glass
LED · 9 Watt
100-240 Vac
630Lm · 3000K
IP54
—
D: 9
H: 65 cm

ADURO
— 9002871

ADURO
— 9002872

TIEN
— 9002878

TIEN
— 9002879

TALA
— 9026122

MADDI
— 9030903

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65
—
L: 8.5
W: 7.5
H: 30 cm

MADDI
— 9030904

Corten
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65
—
L: 8.5
W: 7.5
H: 30 cm

MADDI
— 9030905

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65
—
L: 8.5
W: 7.5
H: 60 cm

MADDI
— 9030906

Corten
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65
—
L: 8.5
W: 7.5
H: 60 cm

ANTI SALT protection

MADDI
— 9030903

MADDI
— 9030904

MADDI
— 9030905



MADDI
— 9030906

TALL
— 9030802

Sandy Black
Aluminium
& Glass Diffuser
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP54
Light up & down
—
L: 12.5
W: 4
H: 13.5 cm

TALL
— 9030863

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP54
Light up & down
—
L: 12.5
W: 4
H: 13.5 cm

TALL
— 9030803

Sandy Black
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
388Lm · 3000K
IP54
Light down
—
L: 12.5
W: 4
H: 13.5 cm

TALL
— 9030864

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
388Lm · 3000K
IP54
Light down
—
L: 12.5
W: 4
H: 13.5 cm

TALL
— 9030804

Sandy Black
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
131Lm · 3000K
IP54
—
L: 12.5
W: 4
H: 30 cm

ANTI SALT protection

TALL — 9030802

TALL — 9030863

TALL — 9030803

TALL — 9030864

TALL — 9030804

MINIMAL
— 9176111

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
369Lm · 3000K
IP65
—
L: 16.3
W: 5.7
H: 30 cm

MINIMAL
— 9176112

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
369Lm · 3000K
IP65
—
L: 16.3
W: 5.7
H: 65 cm

MINIMAL
— 9176111

MINIMAL
— 9176112







PORTAL
— 9002840

Dark Anthracite
Aluminium
& Acrylic
LED · 14 Watt
220-240 Vac
890Lm · 3000K
IP54
—
L: 17.8
W: 6.9
H: 30 cm

PORTAL
— 9002841

Dark Anthracite
Aluminium
& Acrylic
LED · 14 Watt
220-240 Vac
890Lm · 3000K
IP54
—
L: 17.8
W: 6.9
H: 65 cm

PORTAL
— 9002840



PORTAL
— 9002841

ELLERY
— 9100916

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
372Lm · 3000K
IP65
—
D: 8
H: 36 cm

ELLERY
— 9100917

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
372Lm · 3000K
IP65
—
D: 8
H: 60 cm

ELLERY
— 9100918

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
372Lm · 3000K
IP65
—
D: 8
H: 80 cm

ELLERY
— 9100916



ELLERY
— 9100917

ELLERY
— 9100918

ZELDA
— 9020926

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 9 Watt
220-240 Vac
571Lm · 3000K
IP65
—
L: 12
W: 9.4
H: 15 cm

ZELDA
— 9020923

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 9 Watt
100-240 Vac
571Lm · 3000K
IP65
—
L: 12
W: 9.4
H: 40 cm

ZELDA
— 9020924

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 9 Watt
100-240 Vac
571Lm · 3000K
IP65
—
L: 12
W: 9.4
H: 80 cm



ZELDA
— 9020925

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
335Lm · 3000K
IP65
—
L: 12
W: 7.2
H: 15 cm

ZELDA
— 9020921

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
335Lm · 3000K
IP65
—
L: 12
W: 7.2
H: 40 cm

ZELDA
— 9020922

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
335Lm · 3000K
IP65
—
L: 12
W: 7.2
H: 80 cm

BRIGITTA
— 9020928

BRIGITTA
— 9020930

BRIGITTA
— 9020929

BRIGITTA
— 9020931

BRIGITTA
— 9020928

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 8.3
H: 20.8 cm

BRIGITTA
— 9020930

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 15.5
H: 40 cm

BRIGITTA
— 9020929

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 13.7
H: 60 cm

BRIGITTA
— 9020931

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 15.5
H: 80 cm

BLISS
— 819502

NED
— 9104021



BLISS
— 819503



NED
— 9104022

BLISS
— 819502

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP54
—
L: 15
W: 6
H: 16 cm

NED
— 9104021

Dark Gray
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
532Lm · 3000K
IP54
Light up & down
—
L: 22
W: 13.1
H: 5.5 cm

BLISS
— 819503

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
708Lm · 3000K
IP54
—
L: 15
W: 6
H: 50 cm

NED
— 9104022

Dark Gray
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
708Lm · 3000K
IP54
—
L: 15
W: 6
H: 50 cm

VOLVEL
— 9195062

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
719Lm · 3000K
IP54
—
L: 20
W: 6
H: 11 cm

VOLVEL
— 9195061

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
719Lm · 3000K
IP54
—
L: 20
W: 6
H: 80 cm



TWIN
— 713122

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 2x5 Watt
220-240 Vac
476Lm · 3000K
IP54
Light up & down
—
L: 20
W: 10
H: 10 cm

TWIN
— 713121

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 2x5 Watt
220-240 Vac
476Lm · 3000K
IP54
—
L: 20
W: 10
H: 60 cm



FARGE
— 9971476

FARGE
— 9971477

FARGE
— 9971478



ANTI SALT protection

MOTION SENSOR





FARGE
— 9971476

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
703Lm · 3000K
IP65
With motion sensor
—
L: 10
W: 16.5
H: 22 cm

FARGE
— 9971477

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
703Lm · 3000K
IP65
—
L: 10
W: 16.5
H: 22 cm

FARGE
— 9971478

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
703Lm · 3000K
IP65
—
L: 16.5
W: 10
H: 76 cm

PARK
— 711024

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
522Lm · 3000K
IP54
—
L: 9
W: 14.5
H: 18 cm

PARK
— 713123

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
522Lm · 3000K
IP54
—
L: 12.5
W: 12
H: 80 cm

PARK
— 713124

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 2x6 Watt
220-240 Vac
1044Lm · 3000K
IP54
—
L: 12.5
W: 22
H: 80 cm

PARK
— 711024



PARK
— 713123

PARK
— 713124

POSEN
— 9131201

POSEN
— 9131202

ENZI
— 9936101

ENZI
— 9936102

POSEN
— 9131201

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
200-240 Vac
873Lm · 3000K
IP65
—
L: 18
W: 19
H: 5 cm

POSEN
— 9131202

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
200-240 Vac
873Lm · 3000K
IP65
—
L: 18
W: 19
H: 65 cm

ENZI
— 9936101

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 15 Watt
100-240 Vac
1630Lm · 3000K
IP54
—
L: 18
W: 19
H: 7 cm

ENZI
— 9936102

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 15 Watt
100-240 Vac
1630Lm · 3000K
IP54
—
L: 18
W: 19
H: 80 cm

ACQUA
— 713312

ACQUA
— 713313

APOLLO
— 713411

APOLLO
— 713311



ACQUA
— 713312

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
490Lm · 3000K
IP54
—
L: 12
W: 18
H: 5 cm

ACQUA
— 713313

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
490Lm · 3000K
IP54
—
L: 12
W: 5
H: 80 cm

APOLLO
— 713411

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
522Lm · 3000K
IP54
—
L: 9
W: 15
H: 4.5 cm

APOLLO
— 713311

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
522Lm · 3000K
IP54
—
L: 9
W: 15
H: 80 cm

PYRO
— 9209211

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 10
W: 13
H: 21 cm

PYRO
— 9209212

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 10
H: 60 cm

PYRO
— 9209211

PYRO
— 9209212

STICK
— 713412

Gray Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
Bulb Excluded
—
L: 7.6
W: 11
H: 17 cm

STICK
— 71371102

Gray Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
Bulb Excluded
—
L: 7.6
W: 7.6
H: 25 cm

STICK
— 71371101

Gray Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
Bulb Excluded
—
L: 7.6
W: 7.6
H: 80 cm

STICK
— 713412

STICK
— 71371102



STICK
— 71371101





FERRON
— 9060184

Dark Gray
Aluminum
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 13
W: 13
H: 50 cm

FERRON
— 9060185

Dark Gray
Aluminum
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 13
W: 13
H: 80 cm

FERRON
— 9060184

FERRON
— 9060185

LOCK
— 813101

Dark Gray
Aluminium
Clear & White
Acrylic
LED · 12 Watt
220-240 Vac
1047Lm · 3000K
IP54
—
L: 13.5
W: 16
H: 20 cm

LOCK
— 813104

Dark Gray
Aluminium
Clear & White
Acrylic
LED · 12 Watt
220-240 Vac
1047Lm · 3000K
IP54
—
L: 13.5
W: 13.5
H: 50 cm



LOCK
— 813101

LOCK
— 813104

PEC
— 9136420

Sandy Black
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
223Lm · 3000K
IP65
Beam angle 21°
—
D: 16
H: 70 cm

PEC
— 9136421

Sandy Black
Aluminium
& Glass
LED · 13 Watt
220-240 Vac
520Lm · 3000K
IP65
Beam angle 24°
—
D: 16
H: 90 cm





RAMO
— 9291701

CAPO
— 9060199

RAMO
— 9291702

RAMO
— 9291703

RAMO
— 9291701

Dark Gray
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 8
W: 20
H: 14.6 cm

CAPO
— 9060199

Sandy Black
Aluminium
& Frost Glass
Diffuser
LED · 3 Watt
220-240 Vac
184Lm · 3000K
IP65
—
D: 7
W: 6.4
H: 10.5 cm

RAMO
— 9291702

Dark Gray
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 8
W: 14.6
H: 60 cm

RAMO
— 9291703

Dark Gray
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 8
W: 21
H: 60 cm

FEND
— 9971451

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 7
H: 12 cm

FEND
— 9971452

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65
Beam angle 21°
—
D: 6.5
W: 9
H: 15 cm

FEND
— 9271431

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 7
H: 12 cm



FEND
— 9271491

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65
Beam angle 24°
—
D: 6.5
W: 9
H: 15 cm



FEND
— 9271433

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 9
H: 64 cm

FOCUS
— 9207912

FOCUS
— 9279111

FOCUS
— 9279112

FOCUS
— 9207912

Dark Anthracite
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 6.8
W: 11.5
H: 9.5 cm

FOCUS
— 9279111

Dark Anthracite
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 6.8
W: 13.8
H: 27 cm

FOCUS
— 9279112

Dark Anthracite
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 6.8
W: 13.8
H: 55 cm

SPY
— 9030154

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65
BULB EXCLUDED
—
D: 7
W: 8
H: 15.5 cm

SPY
— 9030155

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65
Included plastic spike (+21 cm)
BULB EXCLUDED
—
D: 7
W: 14
H: 19 cm

SPY
— 9030156

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65
Included plastic spike (+21 cm)
BULB EXCLUDED
—
L: 7.5
W: 14
H: 50 cm

SPY
— 9030157

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65
BULB EXCLUDED
—
L: 7.5
W: 14
H: 100 cm

ANTI SALT protection

SPY — 9030154

SPY — 9030155

SPY — 9030156

SPY — 9030157

SENTO
— 9050731
— 9050732

SENTO
— 9050733
— 9050734

! Compatible with:
Multiple luminaires,
parallel 24Vdc connection:

9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc



SENTO
— 9030851



SENTO
— 9971465

SENTO
— 9050732 (2700K)
— 9050731 (3000K)

Dark Anthracite
Aluminium
& Polycarbonate
LED · 3 Watt
24 Vdc · IP65
2700K · 135Lm
3000K · 135Lm
Beam angle 45°
Included plastic spike (+16 cm)
—
D: 3.5
H: 5 cm

SENTO
— 9050734 (2700K)
— 9050733 (3000K)

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
24 Vdc · IP65
2700K · 135Lm
3000K · 135Lm
Beam angle 45°
Included plastic spike (+16 cm)
—
D: 3.5
H: 5 cm

SENTO
— 9030851

Dark Anthracite
Aluminium
& Polycarbonate
LED · 3 Watt
100-240 Vac
135Lm · 3000K
IP65
Beam angle 45°
—
D: 6.5
W: 6
H: 50 cm

SENTO
— 9971465

Dark Anthracite
Aluminium
& Polycarbonate
LED · 6 Watt
220-240 Vac
270Lm · 3000K
IP65
Beam angle 45°
—
L: 26
H: 70 cm

AETHER
— 9030850

Dark Anthracite
Aluminium
& Smokey Glass
LED · 5 Watt
100-240 Vac
71Lm · 3000K
IP65
Included plastic spike
—
W: 17
H: 51 cm

AETHER
— 9030848

Dark Anthracite
Aluminium
& Smokey Glass
LED · 5 Watt
100-240 Vac
71Lm · 3000K
IP65
—
D: 12
W: 17
H: 60 cm

AETHER
— 9030849

Dark Anthracite
Aluminium
& Smokey Glass
LED · 10 Watt
100-240 Vac
141Lm · 3000K
IP65
—
D: 15
W: 52
H: 80 cm

ANTI SALT protection

AETHER
— 9030850



AETHER
— 9030848

AETHER
— 9030849



DYOL
— 9923400

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
420Lm · 3000K
IP65
Beam angle 20°
Included plastic spike (+20.3 cm)
—
D: 12
H: 102 cm

DYOL
— 9923401

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
377Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 12
H: 63 cm



DARMA
— 9030115

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
429Lm · 3000K
IP65
Included plastic spike (+20 cm)
—
D: 11
H: 83.5 cm

DARMA
— 9030116

Corten Aluminium
LED · 7 Watt
220-240 Vac
429Lm · 3000K
IP65
Included plastic spike (+20 cm)
—
D: 11
H: 83.5 cm

DARMA
— 9030117

Sandy Black
Aluminium
LED · 13 Watt
220-240 Vac
844Lm · 3000K
IP65
Included plastic spike (+20 cm)
—
D: 10.5
H: 122 cm

DARMA
— 9030118

Corten Aluminium
LED · 13 Watt
220-240 Vac
844Lm · 3000K
IP65
Included plastic spike (+20 cm)
—
D: 10.5
H: 122 cm



SLOT
— 9030909

Corten Aluminium
LED · 4 Watt
24Vdc · 195Lm
3000K · IP65
Included plastic spike (+20.3 cm)
—
D: 2.5
H: 100 cm

SLOT
— 9030908

Corten Aluminium
LED · 4 Watt
24Vdc · 195Lm
3000K · IP65
Included plastic spike (+20.3 cm)
—
D: 2.5
H: 80 cm

SLOT
— 9030907

Corten Aluminium
LED · 4 Watt
24Vdc · 195Lm
3000K · IP65
Included plastic spike (+20.3 cm)
—
D: 2.5
H: 60 cm

SLOT
— 9030909

SLOT
— 9030908

SLOT
— 9030907

Compatible with:
Multiple luminaires,
parallel 24Vdc connection:

9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

DESSAY
— 9923404

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
1113Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 1.6
H: 98 cm

DESSAY
— 9923403

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
1113Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 1.6
H: 82 cm

DESSAY
— 9923402

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
538Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 1.6
H: 58 cm



DESSAY
— 9923404

DESSAY
— 9923403

DESSAY
— 9923402



NAWA
— 9030720

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
666Lm · 3000K
IP65
Included plastic spike (+23 cm)
—
D: 15
H: 32 cm

NAWA
— 9030721

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
666Lm · 3000K
IP65
Included plastic spike (+23 cm)
—
D: 15
H: 60 cm

NAWA
— 9030722

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
666Lm · 3000K
IP65
Included plastic spike (+23 cm)
—
D: 15
H: 93 cm

ARION
— 9030558

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 4 Watt
220-240 Vac
187Lm · 3000K
IP65
—
D: 11
H: 50 cm

ARION
— 9030559

Corten Die-Casting
Aluminium & Frost
Polycarbonate
LED · 4 Watt
220-240 Vac
187Lm · 3000K
IP65
—
D: 11
H: 50 cm

ARION
— 9030558

ARION
— 9030559

Compatible with:
PLASTIC SPIKE
— 9030560

PLASTIC SPIKE
— 9030560

ANTI SALT protection

MOTION SENSOR

PAUL
— 9176107

PAUL
— 9176106

PAUL
— 9176108



PAUL
— 9176109

PAUL
— 9176110

PAUL
— 9176107

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
893Lm · 3000K
IP65
With motion sensor
—
D: 11.5
H: 28 cm

PAUL
— 9176106

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
893Lm · 3000K
IP65
—
D: 8.5
H: 28 cm

PAUL
— 9176108

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
685Lm · 3000K
IP65
With motion sensor
Included plastic spike (+20cm)
—
D: 9.5
H: 60 cm

PAUL
— 9176109

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
685Lm · 3000K
IP65
Included plastic spike (+20cm)
—
D: 8
H: 60 cm

PAUL
— 9176110

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
685Lm · 3000K
IP65
Included plastic spike (+20cm)
—
D: 8
H: 80 cm

SOLAR LIGHT

MOTION SENSOR

DYN
— 9190101

LOVETO
— 9120621

LOVETO
— 9120622

DYN
— 9190101

[Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2 Watt
3.7 Volt · 199Lm
3000K · IP65
Solar Light
With motion sensor
Switch On/Off
—
L: 16
W: 11.5
H: 6 cm

LOVETO
— 9120621

[Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2 Watt
3.7 Volt · 90Lm
3000K · IP65
Solar Light
With motion sensor
Switch On/Off
—
L: 14.5
W: 16.2
H: 24 cm

LOVETO
— 9120622

[Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2 Watt
3.7 Volt · 136Lm
3000K · IP65
Solar Light
With motion sensor
Switch On/Off
—
L: 14.5
W: 14.5
H: 50 cm

MOON
— 9186714

White Fiber Resin,
Black Canopy
& Black Cable
LED · E14 · 1x5 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 30
H: 200 cm

MOON
— 9186713

White Fiber Resin,
Black Canopy
& Black Cable
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 40
H: 200 cm

MOON
— 9186712

White Fiber Resin,
Black Canopy
& Black Cable
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 50
H: 200 cm









MOON
— 9186715

White Fiber Resin
& White Base
LED · E27 · 1x12 Watt
100-240 Vac
IP65
Included plastic spike (+19 cm)
BULB EXCLUDED
—
D: 50
H: 50 cm

MOON
— 9186716

White Fiber Resin
& White Base
LED · E27 · 1x12 Watt
100-240 Vac
IP65
Included plastic spike (+19 cm)
BULB EXCLUDED
—
D: 40
H: 40 cm

MOON
— 9186717

White Fiber Resin
& White Base
LED · E14 · 1x5 Watt
100-240 Vac
IP65
Included plastic spike (+19 cm)
BULB EXCLUDED
—
D: 30
H: 30 cm

MOON
— 9186718

White Fiber Resin
& White Base
LED · E14 · 1x5 Watt
100-240 Vac
IP65
Included plastic spike (+19 cm)
BULB EXCLUDED
—
D: 25
H: 25 cm



COSMIC
— 9030589

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
407Lm · 3000K
IP65
—
L: 23
W: 8.6
H: 20 cm

COSMIC
— 9030592

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
255Lm · 3000K
IP65
—
L: 8.6
W: 12.5
H: 23 cm

COSMIC
— 9030590

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
489Lm · 3000K
IP65
—
L: 23
W: 8.6
H: 50 cm

COSMIC
— 9030591

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
489Lm · 3000K
IP65
—
L: 23
W: 8.6
H: 75 cm

COSMIC
— 9030589

COSMIC
— 9030592

COSMIC
— 9030590



COSMIC
— 9030591

MOTION SENSOR

SOLAR LIGHT

BERNI
— 9030565

BERNI
— 9030566



BERNI
— 9030567



BERNI
— 9030565

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 88Lm
3000K · IP65
Solar light
With motion sensor
—
L: 23
W: 8.6
H: 15.5 cm

BERNI
— 9030566

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 108Lm
3000K · IP65
Solar light
With motion sensor
—
L: 23
W: 8.6
H: 50 cm

BERNI
— 9030567

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 108Lm
3000K · IP65
Solar light
With motion sensor
—
L: 23
W: 8.6
H: 70 cm

MISTI
— 9030568

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
271Lm · 3000K
IP65
—
L: 18
W: 13
H: 18 cm

MISTI
— 9030569

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
359Lm · 3000K
IP65
—
L: 18
W: 18
H: 50 cm

AKMI
— 9030570

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
244Lm · 3000K
IP65
—
L: 15
W: 12.5
H: 26 cm

AKMI
— 9030571

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
344Lm · 3000K
IP65
—
L: 26
W: 15
H: 50 cm



PAX
— 9756800

Dark Anthracite
Aluminium
LED · 9 Watt
100-240 Vac
715Lm · 3000K
IP54
—
L: 13.5
W: 12
H: 80 cm

PAX
— 9756500

Dark Anthracite
Aluminium
LED · 9 Watt
100-240 Vac
715Lm · 3000K
IP54
—
L: 13.5
W: 12
H: 50 cm



OPTUS
— 9030162

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
459Lm · 3000K
IP65
—
D: 20.5
H: 28 cm

OPTUS
— 9030163

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
459Lm · 3000K
IP65
—
D: 20.5
H: 80 cm

SURF
— 9176101

Dark Anthracite
Die-Casting
Aluminium
LED · 8 Watt
200-240 Vac
440Lm · 3000K
IP65
—
L: 18
W: 18
H: 23 cm

SURF
— 9176102

Dark Anthracite
Die-Casting
Aluminium
LED · 8 Watt
200-240 Vac
440Lm · 3000K
IP65
—
L: 18
W: 18
H: 80 cm

OPTUS
— 9030162

OPTUS
— 9030163



SURF
— 9176101



SURF
— 9176102

SOLAR LIGHT

MOTION SENSOR

AIGO
— 9030580

AIGO
— 9030582



AIGO
— 9030581





NEREUS
— 9030588



NEREUS
— 9030587



NEREUS
— 9030586

AIGO
— 9030580

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 145Lm
3000K · IP65
Solar Light
With motion sensor
—
L: 16
W: 17.7
H: 3.2 cm

AIGO
— 9030582

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 89Lm
3000K · IP65
Solar Light
With motion sensor
—
D: 16
H: 50 cm

AIGO
— 9030581

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 89Lm
3000K · IP65
Solar Light
With motion sensor
—
D: 16
H: 18 cm

NEREUS
— 9030588

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
428Lm · 3000K
IP65
—
D: 16
H: 75 cm

NEREUS
— 9030587

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
428Lm · 3000K
IP65
—
D: 16
H: 50 cm

NEREUS
— 9030586

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
428Lm · 3000K
IP65
—
D: 16
H: 20 cm

ELYSIUM
— 9030152

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 16
H: 35 cm

ELYSIUM
— 9030153

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 16
H: 50 cm

ELYSIUM
— 9030628

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 16
H: 35 cm

ELYSIUM
— 9030629

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 16
H: 50 cm

ELYSIUM
— 9030152

ELYSIUM
— 9030153



ELYSIUM
— 9030628

ELYSIUM
— 9030629



STARK
— 9492660

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 8 Watt
220-240 Vac
116Lm · 3000K
IP65
—
D: 16
H: 14.6 cm

DEVORA
— 826423

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
383Lm · 3000K
IP54
—
D: 11
H: 22 cm

DEVORA
— 822642

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
383Lm · 3000K
IP54
—
D: 11
H: 65 cm

STARK
— 9492660

DEVORA
— 826423

DEVORA
— 822642

PRIVE
— 9030754

Sandy Black
Aluminium
& Glass
LED · 15 Watt
220-240 Vac
155Lm · 3000K
IP65
—
L: 25
W: 25
H: 26 cm

PRIVE
— 9030754

PRIVE
— 9030755

Sandy Black
Aluminium
& Glass
LED · 15 Watt
220-240 Vac
155Lm · 3000K
IP65
—
L: 35
W: 35
H: 36 cm

PRIVE
— 9030755

SOLAR LIGHT

MOTION SENSOR



OPU
— 9136448

Dark Anthracite
Aluminium
& Polycarbonate
LED · 24 Watt
220-240 Vac
1118Lm · 3000K
IP65
—
L: 24
W: 24
H: 26 cm

OPU
— 9136449

Dark Anthracite
Aluminium
& Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 24
W: 24
H: 26 cm

CUPPA
— 9136464

Dark Anthracite
Aluminium
& Glass
LED · 2 Watt
5 Vdc · 186Lm
3000K · IP54
Solar light
With motion sensor
—
L: 24.4
W: 24.4
H: 23.9 cm

ANTI SALT protection

OPU
— 9136448

OPU
— 9136449

CUPPA
— 9136464

WORKING TIME	Charge: 6 hrs
100% of light	15% of light
8 Hrs	54 Hrs

! Automatically Light up at 15% of light at night and will switch to 100% of the light when someone pass by

ZEST
— 870026

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 18
W: 17
H: 28 cm

ZEST
— 870045

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 20
W: 20
H: 29 cm

LOEVE
— 9193101

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 21.5
H: 27.6 cm

LOEVE
— 9193102

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 22 cm

ZEST
— 870026

ZEST
— 870045

LOEVE
— 9193101

LOEVE
— 9193102

ADORAY
— 9030579

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 10
W: 14.2
H: 19.7 cm

FIGO
— 9492500

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 20.5
H: 43 cm

FIGO
— 9060192

Dark Anthracite
Aluminium & Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 11
W: 15
H: 24.5 cm

FIGO
— 9060193

Dark Anthracite
Aluminium & Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 11
W: 11
H: 50 cm

PACIFIC
— 9030601

PACIFIC
— 9030605

PACIFIC
— 9030604



PACIFIC
— 9030601

Dark Anthracite
Die-Casting
Aluminium
Natural Wood Color
Acrylic & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 20.6
H: 27.6 cm

PACIFIC
— 9030605

Dark Anthracite
Die-Casting
Aluminium
Natural Wood Color
Acrylic & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 22 cm

PACIFIC
— 9030604

Dark Anthracite
Die-Casting
Aluminium
Natural Wood Color
Acrylic & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 50 cm

PACIFIC
— 9030602

PACIFIC
— 9030606

PACIFIC
— 9030603



PACIFIC
— 9030602

Dark Anthracite
Die-Casting
Aluminium
& Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 20.6
H: 27.6 cm

PACIFIC
— 9030606

Dark Anthracite
Die-Casting
Aluminium
& Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 22 cm

PACIFIC
— 9030603

Dark Anthracite
Die-Casting
Aluminium
& Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14.5
W: 14.5
H: 50 cm



CETERA
— 9002873

Dark Anthracite
Aluminium & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
Bulb Excluded
—
D: 9
W: 14.1
H: 21 cm

CETERA
— 9002875

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
Bulb Excluded
—
D: 9
H: 90 cm

CETERA
— 9002874

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
Bulb Excluded
—
D: 9
H: 50 cm

ZOSIA
— 9060181

Dark Gray Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
Bulb Excluded
—
D: 9
W: 12
H: 25 cm

ZOSIA
— 9060183

Dark Gray Aluminum
& Clear Acrylic
Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP65
Bulb Excluded
—
D: 9
H: 80 cm

ZOSIA
— 9060182

Dark Gray
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
Bulb Excluded
—
D: 9
H: 50 cm

SELENA
— 9492720

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
W: 10.1
H: 17.1 cm

SELENA
— 9492730

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
H: 65 cm

SELENA
— 9492720

SELENA
— 9492730

SELENA
— 9492740

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 8.5
W: 9.8
H: 16 cm

SELENA
— 9492750

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 8.5
W: 8.5
H: 65 cm

SELENA
— 9492740

SELENA
— 9492750



OMIKA
— 9060197

OMIKA
— 9060194

OMIKA
— 9060195

OMIKA
— 9060196

OMIKA
— 9060197

Dark Gray Aluminum
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 15
H: 88.5 cm

OMIKA
— 9060194

Dark Gray Aluminum
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 15
W: 18.5
H: 28 cm

OMIKA
— 9060195

Dark Gray Aluminum
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 15
H: 37 cm

OMIKA
— 9060196

Dark Gray Aluminum
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 15
H: 97 cm

ISIDORA
— 870445

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 22
H: 95 cm

ISIDORA
— 870426

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 25
W: 27
H: 40 cm

ISIDORA
— 870445

ISIDORA
— 870426

Cement

Our cement lighting fixtures bring a touch of industrial chic to any space, combining rugged durability with subtle elegance. Perfect for both modern and rustic spaces, these lights offer a raw, minimalist aesthetic that highlights their solid construction. Our cement lights blend seamlessly with a variety of styles, adding character and sophistication to your environment.



ANTI SALT protection

NAVY
— 9540225

Gray Cement
LED · 20 Watt
220-240 Vac
1018Lm · 3000K
IP65
—
D: 19.2
H: 54.5 cm

NAVY
— 9540225

NAVY
— 9540226

Gray Cement
LED · 20 Watt
220-240 Vac
1018Lm · 3000K
IP65
—
D: 19.2
H: 99.5 cm

NAVY
— 9540226

LUA
— 9186184

Black Sandstone
Cement
LED · 12 Watt
220-240 Vac
629Lm · 3000K
IP65
—
D: 16
H: 22 cm

LUA
— 9186185

Black Sandstone
Cement
LED · 12 Watt
220-240 Vac
629Lm · 3000K
IP65
—
D: 16
H: 35.5 cm

LUA
— 9186186

Black Sandstone
Cement
LED · 12 Watt
220-240 Vac
629Lm · 3000K
IP65
—
D: 16
H: 55.5 cm

ANTI SALT protection



LUA
— 9186184



LUA
— 9186185



LUA
— 9186186

BARCO
— 9540207

BARCO
— 9540208

CAIRO
— 9540217

CAIRO
— 9540218



BARCO
— 9540207

Gray Cement
Glass Diffuser
LED · 6 Watt
120-230 Vac
450Lm · 3000K
IP65
—
L: 12
W: 12
H: 25 cm

BARCO
— 9540208

Gray Cement
Glass Diffuser
LED · 6 Watt
120-230 Vac
450Lm · 3000K
IP65
—
L: 12
W: 12
H: 60 cm

CAIRO
— 9540217

Gray Cement
Glass Diffuser
LED · 8 Watt
120-230 Vac
380Lm · 3000K
IP65
—
L: 28
W: 10
H: 35 cm

CAIRO
— 9540218

Gray Cement
Glass Diffuser
LED · 8 Watt
120-230 Vac
380Lm · 3000K
IP65
—
L: 28
W: 10
H: 65 cm

CRAM
— 9540241

Gray Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65
—
D: 11.5
H: 30 cm

CRAM
— 9540271

White Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65
—
D: 11.5
H: 30 cm

CRAM
— 9540242

Gray Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65
—
D: 11.5
H: 50 cm

CRAM
— 9540272

White Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65
—
D: 11.5
H: 50 cm

CRAM
— 9540241

CRAM
— 9540271

CRAM
— 9540242

CRAM
— 9540272

TURA
— 9540237

TURA
— 9540268

TURA
— 9540238





TURA
— 9540269

TURA
— 9540237

Black Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 35 cm

TURA
— 9540268

White Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 35 cm

TURA
— 9540238

Black Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 55 cm

TURA
— 9540269

White Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 55 cm

BEV
— 9540214

BEV
— 9540215

BEV
— 9540216



BEV
— 9540214

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65
—
L: 17
W: 17
H: 20 cm

BEV
— 9540215

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65
—
L: 20
W: 20
H: 35 cm

BEV
— 9540216

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65
—
L: 20
W: 20
H: 70 cm

STAGE
— 9186707

Gray Cement
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65
—
L: 15
W: 15
H: 35 cm

STAGE
— 9186708

Gray Cement
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65
—
L: 15
W: 15
H: 70 cm

NODINO
— 9186705

Gray Cement
LED · 6 Watt
220-240 Vac
197Lm · 3000K
IP65
—
D: 18
H: 50 cm

NODINO
— 9186706

Gray Cement
LED · 6 Watt
220-240 Vac
197Lm · 3000K
IP65
—
D: 18
H: 75 cm



STAGE
— 9186707



STAGE
— 9186708



NODINO
— 9186705

NODINO
— 9186706

ARAN
— 9540213

Gray Cement
& Glass Diffuser
LED · 8 Watt
120-230 Vac
380Lm · 3000K
IP65
—
L: 16
W: 15
H: 50 cm

GRANTE
— 9790021

Gray Sandstone
Cement
& Aluminium
LED · 6 Watt
220-240 Vac
365Lm · 3000K
IP65
—
L: 12
W: 12
H: 53 cm

GRANTE
— 9790022

Black Sandstone
Cement
& Aluminium
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 20
W: 12
H: 60 cm

ARAN
— 9540211

Gray Cement
& Glass Diffuser
LED · 2x5 Watt
120-230 Vac
850Lm · 3000K
IP65
—
L: 13
W: 14.5
H: 70 cm

ARAN
— 9540212

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65
—
L: 15
W: 14
H: 70 cm

ARAN — 9540213

GRANTE — 9790021





GRANTE — 9790022





ARAN — 9540211



ARAN — 9540212



CASTRO
— 9762161

Black Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 16
W: 16
H: 16 cm

CASTRO
— 9762162

White Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 16
W: 16
H: 16 cm

CASTRO
— 9739351

Black Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 20
W: 20
H: 35 cm

CASTRO
— 9739352

White Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 20
W: 20
H: 35 cm

CASTRO
— 9762161



CASTRO
— 9762162

CASTRO
— 9739351

CASTRO
— 9739352



LUNA
— 9540234

Black Sandstone
Cement
LED · 10 Watt
220-240 Vac
536Lm · 3000K
IP65
—
L: 30
W: 4.5 cm
H: 10

LUNA
— 9540235

Black Sandstone
Cement
LED · 11 Watt
220-240 Vac
644Lm · 3000K
IP65
—
L: 40
W: 4.5 cm
H: 10

LUNA
— 9540236

Black Sandstone
Cement
LED · 19 Watt
220-240 Vac
1191Lm · 3000K
IP65
—
L: 60
W: 4.5 cm
H: 10

LUNA
— 9540234

LUNA
— 9540235

LUNA
— 9540236





ANTI SALT protection

LITA
— 9540239

Black Sandstone
Cement
LED · 6 Watt
220-240 Vac
660Lm · 3000K
IP65
—
L: 20
W: 12
H: 9 cm

LITA
— 9540240

White Sandstone
Cement
LED · 6 Watt
220-240 Vac
660Lm · 3000K
IP65
—
L: 20
W: 12
H: 9 cm

LITA
— 9540239

LITA
— 9540240



LIDO
— 9790532

LIDO
— 9790531

LIDO
— 9790522

LIDO
— 9790521

EMILE
— 9540209

FUENTO
— 9790542

FUENTO
— 9790541

FUENTO
— 9790552

FUENTO
— 9790551

LIDO
— 9790532

Gray Cement
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm

LIDO
— 9790531

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm

LIDO
— 9790522

Gray Cement
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm

LIDO
— 9790521

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm

EMILE
— 9540209

Gray Sandstone
Cement & Glass
Diffuser
LED · 5 Watt
100-240 Vac
200Lm · 3000K
IP65
Light down
—
L: 9
W: 9.7
H: 11.2 cm

FUENTO
— 9790542

Gray Cement
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm

FUENTO
— 9790541

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm

FUENTO
— 9790552

Gray Cement
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm

FUENTO
— 9790551

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm

RITZ
— 9540227

Gray Sandstone
Cement
LED · 10 Watt
220-240 Vac
1044Lm · 3000K
IP65
—
D: 10.2
H: 12 cm

RITZ
— 9540228

Gray Sandstone
Cement
LED · 10 Watt
220-240 Vac
1021Lm · 3000K
IP65
—
L: 10.2
W: 10.2
H: 12 cm







PAR
— 9186180

White Sandstone
Cement
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
H: 13.5 cm

PAR
— 9186181

Black Sandstone
Cement
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
H: 13.5 cm

EMILE
— 9540210

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65
—
D: 9
H: 16 cm



PETRA
— 9186182

PETRA
— 9186183



ANTI SALT protection

PETRA
— 9186182

White Cement
LED · 3 Watt
220-240 Vac
168Lm · 3000K
IP65
BULB EXCLUDED
—
L: 20
W: 14
H: 12 cm

PETRA
— 9186183

Gray Cement
LED · 3 Watt
220-240 Vac
168Lm · 3000K
IP65
BULB EXCLUDED
—
L: 20
W: 14
H: 12 cm

MINOR
— 9186704

MINOR
— 9186704

Gray Cement
LED · G9 · 1x5 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 15
H: 13.5 cm

Wall

Our outdoor wall lights add a welcoming touch to exterior areas, complementing both natural and architectural elements. They offer a mix of practical illumination and elegant design, perfect for brightening up entryways, walkways and balconies

COPPER
— 9923411

Sandy White
Aluminium
LED · 7 Watt
220-240 Vac
467Lm · 3000K
IP65
—
D: 13.5
W: 4 cm

COPPER
— 9923413

Sandy White
Aluminium
LED · 9 Watt
220-240 Vac
476Lm · 3000K
IP65
—
D: 18
W: 4 cm

COPPER
— 9923415

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
948Lm · 3000K
IP65
—
D: 24
W: 5.6 cm

COPPER
— 9923417

Sandy White
Aluminium
LED · 16 Watt
220-240 Vac
1046Lm · 3000K
IP65
—
D: 30
W: 7.1 cm

ANTI SALT protection

COPPER — 9923411

COPPER — 9923412

COPPER — 9923413

COPPER — 9923414

COPPER — 9923415

COPPER — 9923416

COPPER — 9923417

COPPER — 9923418

COPPER
— 9923412

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
467Lm · 3000K
IP65
—
D: 13.5
W: 4 cm

COPPER
— 9923414

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
476Lm · 3000K
IP65
—
D: 18
W: 4 cm

COPPER
— 9923416

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
948Lm · 3000K
IP65
—
D: 24
W: 5.6 cm

COPPER
— 9923418

Sandy Black
Aluminium
LED · 16 Watt
220-240 Vac
1046Lm · 3000K
IP65
—
D: 30
W: 7.1 cm

CICO
— 9136446

Sandy Black
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
587Lm · 3000K
IP65
—
D: 24
W: 4.8 cm

CICO
— 9136447

Sandy White
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
587Lm · 3000K
IP65
—
D: 24
W: 4.8 cm

CICO
— 9136446

CICO
— 9136447





ALUX
— 9136406

Sandy Black
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54
—
D: 16
W: 11.5 cm

ALUX
— 9136407

Sandy White
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54
—
D: 16
W: 11.5 cm

ALUX
— 9136408

Corten
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54
—
D: 16
W: 11.5 cm

ALUX — 9136406

ALUX — 9136407

ALUX — 9136408





ANTI SALT protection

MOBY
— 9030900

MOBY
— 9030901



MOBY
— 9030902

MOBY
— 9030900

Sandy Black
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm

MOBY
— 9030901

Sandy White
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm

MOBY
— 9030902

Corten
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



PRIVE
— 9030751

Sandy Black
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
284Lm · 3000K
IP65
—
L: 10
W: 12
H: 13 cm

PRIVE
— 9030752

Sandy Black
Aluminium
& Glass
LED · 14 Watt
220-240 Vac
383Lm · 3000K
IP65
—
L: 12
W: 14
H: 19 cm

PRIVE
— 9030753

Sandy Black
Aluminium
& Glass
LED · 17 Watt
220-240 Vac
509Lm · 3000K
IP65
—
L: 17
W: 17
H: 25 cm

PRIVE
— 9030751

PRIVE
— 9030752

PRIVE
— 9030753

SORREN
— 9197701

REGINA
— 9492442

SORREN
— 9197702

REGINA
— 9492760

REGINA
— 9492710

SORREN
— 9197701

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 8.6
W: 9
H: 25.8 cm

REGINA
— 9492442

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 2x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 8.6
W: 9
H: 34.8 cm

SORREN
— 9197702

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 2x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 22
W: 8.7
H: 22 cm

REGINA
— 9492760

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 13.8
W: 10
H: 23.8 cm

REGINA
— 9492710

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 15.2
W: 12.2
H: 29.5 cm

BREGGO
— 9923419

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
671Lm · 3000K
IP54
—
L: 61
W: 10
H: 7.5 cm

BREGGO
— 9923420

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
671Lm · 3000K
IP54
—
L: 61
W: 10
H: 7.5 cm

BREGGO
— 9923421

Sandy White
Aluminium
LED · 17 Watt
220-240 Vac
890Lm · 3000K
IP54
—
L: 81
W: 10
H: 7.5 cm

BREGGO
— 9923422

Sandy Black
Aluminium
LED · 17 Watt
220-240 Vac
890Lm · 3000K
IP54
—
L: 81
W: 10
H: 7.5 cm

BREGGO
— 9923419



BREGGO
— 9923420

BREGGO
— 9923421



BREGGO
— 9923422

RIDGE
— 9923405

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
1073Lm · 3000K
IP65
—
D1: 1.6
D2: 7.6
H: 65 cm

RIDGE
— 9923406

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
1073Lm · 3000K
IP65
—
D1: 1.6
D2: 7.6
H: 65 cm

RIDGE
— 9923407

Sandy White
Aluminium
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65
—
D1: 1.6
D2: 7.6
H: 97 cm

RIDGE
— 9923408

Sandy Black
Aluminium
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65
—
D1: 1.6
D2: 7.6
H: 97 cm



ISOS
— 9030100

ISOS
— 9030101

ISOS
— 9030102



ISOS
— 9030100

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 61 cm

ISOS
— 9030101

Sandy White
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 61 cm

ISOS
— 9030102

Corten
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 61 cm

ANETH
— 9923409

Sandy White
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65
—
L: 5.3
W: 9
H: 104 cm

ANETH
— 9923410

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65
—
L: 5.3
W: 9
H: 104 cm

ANTI SALT protection

ANETH
— 9923409

ANETH
— 9923410

DOUL
— 9030105

Corten
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 121 cm

DOUL
— 9030104

Sandy White
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 121 cm

DOUL
— 9030103

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 121 cm

DOUL
— 9030105

DOUL
— 9030104

DOUL
— 9030103

ANTI SALT protection

PATH
— 9030707



PATH
— 9030708

PATH
— 9030709



PATH
— 9030710

PATH
— 9030707

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
150Lm · 3000K
IP65
—
L: 4.7
W: 6
H: 50 cm

PATH
— 9030708

Sandy White
Aluminium
LED · 11 Watt
220-240 Vac
150Lm · 3000K
IP65
—
L: 4.7
W: 6
H: 50 cm

PATH
— 9030709

Sandy Black
Aluminium
LED · 19 Watt
220-240 Vac
380Lm · 3000K
IP65
—
L: 4.7
W: 6
H: 100 cm

PATH
— 9030710

Sandy White
Aluminium
LED · 19 Watt
220-240 Vac
380Lm · 3000K
IP65
—
L: 4.7
W: 6
H: 100 cm

NOVA
— 9030943

Dark Anthracite
Aluminium
& Glass
LED · 21 Watt
220-240 Vac
974Lm · 3000K
IP65
—
L: 50
W: 6.5
H: 9 cm

NOVA
— 9030944

Dark Anthracite
Aluminium
& Glass
LED · 36 Watt
220-240 Vac
1579Lm · 3000K
IP65
—
L: 100
W: 6.5
H: 9 cm

INGA
— 9030593

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 11 Watt
220-240 Vac
875Lm · 3000K
IP65
Light up, down & front
—
L: 15.3
W: 7.3
H: 6.5 cm

INGA
— 9030594

Corten
Die-Casting
Aluminium & Glass
LED · 11 Watt
220-240 Vac
875Lm · 3000K
IP65
Light up, down & front
—
L: 15.3
W: 7.3
H: 6.5 cm

INGA
— 9030595

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 18 Watt
220-240 Vac
1484Lm · 3000K
IP65
Light up, down & front
—
L: 30
W: 7.3
H: 6.5 cm

INGA
— 9030596

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 31 Watt
220-240 Vac
3028Lm · 3000K
IP65
Light up, down & front
—
L: 45
W: 7.3
H: 6.5 cm



FLORA
— 9030807

Sandy Black
Aluminium
& Glass Diffuser
LED · 10 Watt
220-240 Vac
686Lm · 3000K
IP54
Light up & down
—
L: 23
W: 6.5
H: 6.5 cm

FLORA
— 9030808

Sandy White
Aluminium
& Glass Diffuser
LED · 10 Watt
220-240 Vac
686Lm · 3000K
IP54
Light up & down
—
L: 23
W: 6.5
H: 6.5 cm

FLORA
— 9030807

FLORA
— 9030808





ALLURE
— 9136456

Sandy Black
Aluminium
& Glass
LED · 22 Watt
220-240 Vac
1723Lm · 3000K
IP65
Light up & down
—
L: 26
W: 5.1
H: 6.5 cm

ALLURE
— 9136457

Sandy White
Aluminium
& Glass
LED · 22 Watt
220-240 Vac
1723Lm · 3000K
IP65
Light up & down
—
L: 26
W: 5.1
H: 6.5 cm

ALLURE
— 9136458

Sandy Black
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
502Lm · 3000K
IP65
Light down
—
L: 22
W: 5.3
H: 5.5 cm

ALLURE
— 9136459

Sandy White
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
502Lm · 3000K
IP65
Light down
—
L: 22
W: 5.3
H: 5.5 cm



ALLURE
— 9136456



ALLURE
— 9136457

ALLURE
— 9136458



ALLURE
— 9136459

BROWN
— 9030583

Sandy Black
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light
—
L: 25.8
W: 8.6
H: 8.6 cm

BROWN
— 9030584

Corten
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light
—
L: 25.8
W: 8.6
H: 8.6 cm

BROWN
— 9030585

Sandy White
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light
—
L: 25.8
W: 8.6
H: 8.6 cm

ANTI SALT protection

SOLAR LIGHT

BROWN — 9030583

BROWN — 9030584

BROWN — 9030585

ASTRAL
— 9030633

Dark Anthracite
Die-Casting
Aluminium,
Natural Wood Color
& Clear Glass
LED · 10 Watt
220-240 Vac
192Lm · 3000K
IP65
—
L: 8.6
W: 9
H: 25.8 cm

ASTRAL
— 9030631

Dark Anthracite
Die-Casting
Aluminium,
Natural Wood Color
& Clear Glass
LED · 16 Watt
220-240 Vac
374Lm · 3000K
IP65
—
L: 22
W: 8.7
H: 22 cm

ASTRAL
— 9030632

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
373Lm · 3000K
IP65
—
L: 8.6
W: 9
H: 25.8 cm

ASTRAL
— 9030630

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 16 Watt
220-240 Vac
948Lm · 3000K
IP65
—
L: 22
W: 8.7
H: 22 cm

ASTRAL
— 9030633

ASTRAL
— 9030631

ASTRAL
— 9030632

ASTRAL
— 9030630





KEEN
— 9270015

KEEN
— 9270016

KEEN
— 9270027

KEEN
— 9270028

ANTI SALT protection

KEEN
— 9030945

KEEN
— 9030946

KEEN
— 9270015

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 9
W: 7
H: 18 cm

KEEN
— 9270016

Sandy White
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 9
W: 7
H: 18 cm

KEEN
— 9270027

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 18
W: 9
H: 9 cm

KEEN
— 9270028

Sandy White
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 18
W: 9
H: 9 cm

KEEN
— 9030945

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 20 Watt
220-240 Vac
1585Lm · 3000K
IP65
—
L: 30
W: 11.5
H: 10 cm

KEEN
— 9030946

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 41 Watt
220-240 Vac
2768Lm · 3000K
IP65
—
L: 60
W: 15
H: 18 cm



LUPO
— 9926617

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
380Lm · 3000K
IP65
—
L: 11
W: 8.5
H: 25 cm

KEEN
— 9160081

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
936Lm · 3000K
IP65
—
L: 9.5
W: 6.5
H: 22.5 cm

LUPO
— 9926617

KEEN
— 9160081

NOBU
— 9060206

ZENON
— 9492610

CAPE
— 9492550

NOBU
— 9060206

Sandy Black
Aluminium
& Glass Diffuser
LED · 15 Watt
220-240 Vac
497Lm · 3000K
IP65
—
L: 19.3
W: 4.7
H: 12.7 cm

ZENON
— 9492610

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
558Lm · 3000K
IP65
—
L: 18
W: 7.5
H: 9 cm

CAPE
— 9492550

Dark Anthracite
Die-Casting
Aluminium,
Frost Acrylic
& Clear Glass
LED · 10 Watt
220-240 Vac
763Lm · 3000K
IP65
—
L: 20
W: 7.4
H: 20 cm

ARTU
— 9971460

Sandy Black
Aluminium
& Acrylic
LED · 10 Watt
220-240 Vac
335Lm · 3000K
IP65
—
L: 17.5
W: 3
H: 9.5 cm

ARTU
— 9971461

Sandy White
Aluminium
& Acrylic
LED · 10 Watt
220-240 Vac
335Lm · 3000K
IP65
—
L: 17.5
W: 3
H: 9.5 cm

FUNGO
— 9027201

Dark Gray
Aluminium
& Glass Diffuser
LED · 12 Watt
220-240 Vac
536Lm · 3000K
IP65
Light down
—
L: 22
W: 7.6
H: 3.2 cm

FUNGO
— 9027202

Sandy White
Aluminium
& Glass Diffuser
LED · 12 Watt
220-240 Vac
536Lm · 3000K
IP65
Light down
—
L: 22
W: 7.6
H: 3.2 cm

ARTU
— 9971460

ARTU
— 9971461

FUNGO
— 9027201



FUNGO
— 9027202

OONO
— 9030158

OONO
— 9030159

COMBO
— 9492600

OONO
— 9030158

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · 11 Watt
220-240 Vac
270Lm · 3000K
IP65
—
D: 14.5
W: 4.7 cm

OONO
— 9030159

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · 11 Watt
220-240 Vac
270Lm · 3000K
IP65
—
L: 13.5
W: 5
H: 13.5 cm

COMBO
— 9492600

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
265Lm · 3000K
IP65
—
L: 16
W: 4.6
H: 15.5 cm

NOCTA
— 9030930

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
547Lm · 3000K
IP54
Light up & down
—
L: 9.6
W: 10
H: 24 cm

NOCTA
— 9030930

NOCTA
— 9030931

Sandy White
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
547Lm · 3000K
IP54
Light up & down
—
L: 9.6
W: 10
H: 24 cm

NOCTA
— 9030931

POLLY
— 9030922

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
608Lm · 3000K
IP54
—
L: 13
W: 5.5
H: 18 cm

POLLY
— 9030922

POLLY
— 9030923

Sandy White
Aluminium
LED · 10 Watt
220-240 Vac
608Lm · 3000K
IP54
—
L: 13
W: 5.5
H: 18 cm

POLLY
— 9030923



ARABELLA
— 9026119

Sandy White
Aluminium
& Clear Glass
LED · 6 Watt
100-240 Vac
398Lm · 3000K
IP54
Beam angle 50°
—
L: 11
W: 9
H: 18 cm

MILE
— 9257871

Sandy White
Aluminium
& Glass
LED · 9 Watt
100-240 Vac
475Lm · 3000K
IP54
Light up & down
—
L: 16
W: 9.6
H: 7.5 cm

MILE
— 9262111

Sandy White
Aluminium
& Glass
LED · 2x5 Watt
100-240 Vac
550Lm · 3000K
IP54
Light up & down
—
L: 18
W: 3.5
H: 9 cm

FEDOR
— 9492630

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
282Lm · 3000K
IP65
Light up & down
—
L: 15.6
W: 3.8
H: 9.7 cm



BRIN
— 9160101

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
341Lm · 3000K
IP65
—
L: 14
W: 14.5
H: 3.5 cm

ZIRI
— 9492570

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
284Lm · 3000K
IP65
—
L: 18
W: 11.6
H: 4 cm

AGILE
— 833426

Dark Gray
Die-Casting
Aluminium
LED · 13 Watt
220-240 Vac
480Lm · 3000K
IP54
—
D: 15
W: 11.7
H: 15 cm

GRAVITY
— 810067

Dark Gray
Die-Casting
Aluminium
Acrylic Diffuser
LED · 13 Watt
220-240 Vac
660Lm · 3000K
IP54
—
D: 14
W: 4.8
H: 14cm











PURE
— 9492560

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 6 Watt
220-240 Vac
299Lm · 3000K
IP65
—
L: 16
W: 10.2
H: 3.4 cm

NECTAR
— 9030576

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
468Lm · 3000K
IP65
Light up & down
—
L: 20
W: 9.4
H: 5.5 cm

PARRIS
— 9492620

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
L: 12
W: 12
H: 11.5 cm

SALLY
— 9176105

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1261Lm · 3000K
IP54
—
L: 21
W: 16.5
H: 10 cm

GERBER
— 9923423

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1261Lm · 3000K
IP54
With motion sensor
—
L: 21
W: 16.5
H: 10 cm

MOTION SENSOR

! Max. distance 5m
The lights need to be installed
at least 1.5-2.5m from the ground.

VIDENO
— 9030624

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 225Lm
3000K · IP65
Solar light
—
L: 20
W: 10.3
H: 5.5 cm

SOLAR LIGHT

Working Time
10-11 Hrs

VIDENO
— 9492590

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 10 Watt
220-240 Vac
302Lm · 3000K
IP65
Light up & down
—
L: 20
W: 10.3
H: 5.5cm



ANTI SALT protection

SOLAR LIGHT

MOTION SENSOR

VALOR
— 9492540

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 2 Watt
3.7 Vdc · 104Lm
3000K · IP65
Solar light
With motion sensor
—
L: 18.6
W: 7.2
H: 14 cm

TRENDO
— 9492520

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 219Lm
3000K · IP65
Solar light
With motion sensor
—
L: 12.2
W: 14.6
H: 5 cm

PRIM
— 9492510

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 197Lm
3000K · IP65
Solar light
With motion sensor
—
L: 18
W: 17.5
H: 3.5 cm

EPIC
— 9136174

EPIC
— 9136175

COMO
— 747406

COMO
— 847406



COMO
— 847407

COMO
— 847408

EPIC — 9136174	**EPIC** — 9136175	**COMO** — 747406	**COMO** — 847406	**COMO** — 847407	**COMO** — 847408
Dark Anthracite	White	Sandy White	Antique Brown	Dark Gray	Dark Anthracite
Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
LED · 2x10 Watt	LED · 2x10 Watt	LED · 2x3 Watt	LED · 2x3 Watt	LED · 2x3 Watt	LED · 2x3 Watt
220-240 Vac	220-240 Vac	220-240 Vac	220-240 Vac	220-240 Vac	220-240 Vac
1950Lm · 3000K	1950Lm · 3000K	510Lm · 3000K	510Lm · 3000K	510Lm · 3000K	510Lm · 3000K
IP54	IP54	IP54	IP54	IP54	IP54
—	—	—	—	—	—
L: 15	L: 15	L: 11.2	L: 11.2	L: 11.2	L: 11.2
W: 15	W: 15	W: 11.2	W: 11.2	W: 11.2	W: 11.2
H: 15 cm	H: 15 cm	H: 11.2 cm	H: 11.2 cm	H: 11.2 cm	H: 11.2 cm

OPERA
— 9030937

Dark Anthracite
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54
Light up & down
—
L: 11
W: 10
H: 6.8 cm

OPERA
— 9030938

Corten
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54
Light up & down
—
L: 11
W: 10
H: 6.8 cm

OPERA
— 9030939

Sandy White
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54
Light up & down
—
L: 11
W: 10
H: 6.8 cm

ANTI SALT protection

OPERA — 9030937

OPERA — 9030940

OPERA — 9030938

OPERA — 9030941

OPERA — 9030939

OPERA — 9030942

OPERA
— 9030940

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54
Light down
—
L: 11
W: 10
H: 6.8 cm

OPERA
— 9030941

Corten
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54
Light down
—
L: 11
W: 10
H: 6.8 cm

OPERA
— 9030942

Sandy White
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54
Light down
—
L: 11
W: 10
H: 6.8 cm



ZARI
— 9226217

Sandy White
Aluminium & Glass
LED · 2x2 Watt
100-240 Vac
285Lm · 3000K
IP54
Beam angle 38°
Light in 2 directions
—
L: 5.5
W: 6.5
H: 6.5 cm

ZARI
— 9226216

Dark Anthracite
Aluminium & Glass
LED · 2x2 Watt
100-240 Vac
285Lm · 3000K
IP54
Beam angle 38°
Light in 2 directions
—
L: 5.5
W: 6.5
H: 6.5 cm

ZARI
— 9226215

Sandy White
Aluminium & Glass
LED · 4x1 Watt
100-240 Vac
265Lm · 3000K
IP54
Beam angle 38°
Light in 4 directions
—
L: 5.5
W: 6.5
H: 6.5 cm

ZARI
— 9226214

Dark Anthracite
Aluminium & Glass
LED · 4x1 Watt
100-240 Vac
265Lm · 3000K
IP54
Beam angle 38°
Light in 4 directions
—
L: 5.5
W: 6.5
H: 6.5 cm

COMO
— 852436

Sandy White
Aluminium
& Glass
LED · 4x1 Watt
220-240 Vac
265Lm · 3000K
IP54
Beam angle 51°
Light in 4 directions
—
D: 11
W: 8.5 cm

COMO
— 726217

Sandy White
Aluminium
& Glass
LED · 2x5 Watt
220-240 Vac
560Lm · 3000K
IP54
Beam angle 51°
Light in 2 directions
—
D: 11
W: 8.5 cm

ANTI SALT protection

ELIO
— 9971470

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65
Light up & down
Beam Angle 6°
—
L: 7
W: 6.2
H: 13 cm

ELIO
— 9971473

Dark Anthracite
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65
Light up & down
Beam Angle 7°
—
L: 11.4
W: 6.2
H: 13 cm

ELIO
— 9971471

Sandy White
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65
Light up & down
Beam Angle 6°
—
L: 7
W: 6.2
H: 13 cm

ELIO
— 9971474

Sandy White
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65
Light up & down
Beam Angle 7°
—
L: 11.4
W: 6.2
H: 13 cm

ELIO
— 9971472

Corten
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65
Light up & down
Beam Angle 6°
—
L: 7
W: 6.2
H: 13 cm

ELIO
— 9971475

Corten
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65
Light up & down
Beam Angle 7°
—
L: 11.4
W: 6.2
H: 13 cm

ALP
— 9010008

Sandy Black
Aluminium
& Glass
LED Chip Cree
7 Watt
220-240 Vac
565Lm · 3000K
IP54
Beam Angle 7°
—
D: 5.5
W: 7
H: 10 cm

ALP
— 9010009

Sandy Black
Aluminium
& Glass
LED Chip Cree
2x7 Watt
220-240 Vac
1857Lm · 3000K
IP54
Beam Angle 7°
—
D: 5.5
W: 7
H: 17 cm

ALP
— 9010008



ALP
— 9010009

DIO
— 9136450

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
60Lm · 3000K
IP65
Beam Angle 20°
—
L: 15.5
W: 4.7
H: 8.5 cm

DIO
— 9136451

Sandy White
Aluminium
LED · 4 Watt
220-240 Vac
60Lm · 3000K
IP65
Beam Angle 20°
—
L: 15.5
W: 4.7
H: 8.5 cm

DIO
— 9136450



DIO
— 9136451





DUOMO
— 9050729

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
400Lm · 3000K
IP54
—
L: 12
W: 3.7
H: 8 cm

DUOMO
— 9050730

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
400Lm · 3000K
IP54
—
L: 12
W: 3.7
H: 8 cm

SERIKA
— 9492580

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
W: 6
H: 11 cm

MILEY
— 9202262

Sandy Black
Aluminium
& Glass
LED · 7 Watt
200-240 Vac
397Lm · 3000K
IP54
Light up & dDown
—
L: 7.4
W: 7.4
H: 13.6 cm

MILEY
— 9202261

Sandy White
Aluminium
& Glass
LED · 7 Watt
200-240 Vac
397Lm · 3000K
IP54
Light up & down
—
L: 7.4
W: 7.4
H: 13.6 cm

VEIRO
— 9104835

Dark Anthracite
Die-Casting
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
346Lm · 3000K
IP65
Light up & down
—
L: 9
W: 9.3
H: 20.5 cm

BRICE
— 9136176

BRICE
— 9136177

DEWEI
— 9026117

DEWEI
— 9026118

AZAR
— 9026116

BRICE
— 9136176

Sandy Black
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
594Lm · 3000K
IP54
—
L: 4
W: 12
H: 6 cm

BRICE
— 9136177

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
594Lm · 3000K
IP54
—
L: 4
W: 12
H: 6 cm

DEWEI
— 9026117

Dark Anthracite
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54
Light up & down
—
L: 5
W: 4
H: 9 cm

DEWEI
— 9026118

Sandy White
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54
Light up & down
—
L: 5
W: 4
H: 9 cm

AZAR
— 9026116

Dark Anthracite
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54
Light up & down
—
L: 5
W: 4
H: 9 cm

BOXY
— 9030148

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 3 Watt
220-240 Vac
157Lm · 3000K
IP65
Light down
—
L: 6.5
W: 3.8
H: 9 cm

BOXY
— 9030149

Sandy White
Die-Casting
Aluminium & Glass
LED · 3 Watt
220-240 Vac
157Lm · 3000K
IP65
Light down
—
L: 6.5
W: 3.8
H: 9 cm

BOXY
— 9030150

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 6 Watt
220-240 Vac
312Lm · 3000K
IP65
Light up & down
—
L: 6.5
W: 3.8
H: 12 cm

BOXY
— 9030151

Sandy White
Die-Casting
Aluminium & Glass
LED · 6 Watt
220-240 Vac
312Lm · 3000K
IP65
Light up & down
—
L: 6.5
W: 3.8
H: 12 cm

BOXY
— 9030148

BOXY
— 9030149

BOXY
— 9030150

BOXY
— 9030151

ORION
— 9030934

Dark Anthracite
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm

ORION
— 9030935

Corten
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm

ORION
— 9030936

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm

ORION — 9030934

ORION — 9030935

ORION — 9030936

TICK
— 9030815

Sandy Black
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
218Lm · 3000K
IP54
Light down
—
L: 11.5
W: 3
H: 9 cm

TICK
— 9030816

Sandy White
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
218Lm · 3000K
IP54
Light down
—
L: 11.5
W: 3
H: 9 cm

TICK
— 9030817

Sandy Black
Aluminium
& Glass Diffuser
LED · 7 Watt
220-240 Vac
416Lm · 3000K
IP54
Light up & down
—
L: 11.5
W: 3
H: 9 cm

TICK
— 9030818

Sandy White
Aluminium
& Glass Diffuser
LED · 7 Watt
220-240 Vac
416Lm · 3000K
IP54
Light up & down
—
L: 11.5
W: 3
H: 9 cm

TICK — 9030815

TICK — 9030816

TICK — 9030817

TICK — 9030818

PRATO
— 9030746

Sandy Black
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
434Lm · 3000K
IP65
Light up & down
—
L: 18.4
W: 3.6
H: 11 cm

PRATO
— 9030747

Sandy White
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
434Lm · 3000K
IP65
Light up & down
—
L: 18.4
W: 3.6
H: 11 cm

COMO
— 741662

Dark Gray
Aluminium
& Glass
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
Light up & down
Beam angle 34°
—
L: 15
W: 7
H: 11 cm

PRATO
— 9030746

PRATO
— 9030747

COMO
— 741662

SOHO
— 740401

Dark Gray
Aluminium
& Glass Diffuser
LED · 2x3 Watt
220-240 Vac
480Lm · 3000K
IP54
Light up & down
—
L: 12
W: 3
H: 10 cm

SOHO
— 740402

Sandy White
Aluminium
& Glass Diffuser
LED · 2x3 Watt
220-240 Vac
480Lm · 3000K
IP54
Light up & down
—
L: 12
W: 3
H: 10 cm

SOHO
— 740404

Dark Gray
Aluminium
& Glass Diffuser
LED · 2x5 Watt
220-240 Vac
800Lm · 3000K
IP54
Light up & down
—
L: 18.5
W: 3
H: 10 cm

SOHO
— 740403

Sandy White
Aluminium
& Glass Diffuser
LED · 2x5 Watt
220-240 Vac
800Lm · 3000K
IP54
Light up & down
—
L: 18.5
W: 3
H: 10 cm

ZARO
— 9492650

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
639Lm · 3000K
IP65
Light up & down
—
L: 9
W: 5.5
H: 10.2 cm

DEWI
— 9492640

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
296Lm · 3000K
IP65
Light up & down
—
L: 11.8
W: 3.8
H: 9.7 cm

SOHO
— 740401

SOHO
— 740402

SOHO
— 740404

SOHO
— 740403

ZARO
— 9492650

DEWI
— 9492640



YOKO
— 9030827

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 13 Watt
220-240 Vac
788Lm · 3000K
IP65
Light up & down
—
L: 20
W: 3.9
H: 12.5 cm

YOKO
— 9030828

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
374Lm · 3000K
IP65
Light down
—
L: 20
W: 3.9
H: 12.5 cm

WAY
— 9030829

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
421Lm · 3000K
IP65
Light up & down
—
L: 13
W: 4
H: 14 cm



YOKO
— 9030827

YOKO
— 9030828

WAY
— 9030829

YORK
— 9030830

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
Light up & down
BULB EXCLUDED
—
L: 11
W: 8.5
H: 19.5 cm

YORK
— 9030831

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65
Light up & down
BULB EXCLUDED
—
L: 11
W: 8.5
H: 19.5 cm

YORK
— 9030832

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
Light down
BULB EXCLUDED
—
L: 11
W: 8.5
H: 11 cm

YORK
— 9030833

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
Light down
BULB EXCLUDED
—
L: 11
W: 8.5
H: 11 cm

YORK
— 9030830

YORK
— 9030831

YORK
— 9030832

YORK
— 9030833



BETA
— 9030800

Sandy Black
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
684Lm · 3000K
IP54
Light down
—
D: 9
W: 11
H: 6.8 cm

BETA
— 9030801

Sandy Black
Aluminium
& Glass Diffuser
LED · 13 Watt
220-240 Vac
1253Lm · 3000K
IP54
Light up & down
—
D: 9
W: 11
H: 6.8 cm

NUS
— 9200201

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 4 Watt
100-240 Vac
400Lm · 3000K
IP54
Light down
—
L: 13.2
W: 9
H: 6.9 cm

NUS
— 9200202

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2x4 Watt
100-240 Vac
943Lm · 3000K
IP54
Light up & down
—
L: 13.2
W: 9
H: 7.8 cm

DARF
— 9925665

Sandy Black
Aluminium
& ABS Diffuser
LED · 5 Watt
100-240 Vac
420Lm · 3000K
IP65
Light down
—
D: 9.5
W: 10.5
H: 8.5 cm

DARF
— 9925666

Sandy Black
Aluminium
& ABS Diffuser
LED · 2x5 Watt
100-240 Vac
840Lm · 3000K
IP65
Light up & down
—
D: 9.5
W: 10.5
H: 13 cm

HELMET
— 9971468

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
321Lm · 3000K
IP65
Beam angle 13°
—
D: 7.5
H: 13 cm

HELMET
— 9971469

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
831Lm · 3000K
IP65
Beam angle 20°
—
D: 9
H: 13.5 cm





FOCUS
— 752470

Dark Gray
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
420Lm · 3000K
IP54
Beam angle 44°
—
L: 8.5
W: 14
H: 12 cm

OVI
— 9136182

Sandy Black
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
D: 10
W: 11
H: 9 cm





TORRIN
— 9050715 (2700K)
— 9050714 (3000K)

Corten Aluminium
& Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down
—
D: 4.5
W: 7.5
H: 23 cm

TORRIN
— 9050721 (2700K)
— 9050720 (3000K)

Corten Aluminium
& Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down
—
D: 4.5
W: 7.5
H: 23 cm

TORRIN
— 9050715
— 9050714

TORRIN
— 9050721
— 9050720

TORRIN
— 9050717 (2700K)
— 9050716 (3000K)

Sandy White
Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down
—
D: 4.5
W: 7.5
H: 23 cm

TORRIN
— 9050717
— 9050716

TORRIN
— 9050723
— 9050722

TORRIN
— 9050723 (2700K)
— 9050722 (3000K)

Sandy White
Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down
—
D: 4.5
W: 7.5
H: 23 cm

TORRIN
— 9050719 (2700K)
— 9050718 (3000K)

Dark Anthracite
Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down
—
D: 4.5
W: 7.5
H: 23 cm

TORRIN
— 9050719
— 9050718

TORRIN
— 9050725
— 9050724

TORRIN
— 9050725 (2700K)
— 9050724 (3000K)

Dark Anthracite
Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down
—
D: 4.5
W: 7.5
H: 23 cm



LUSY
— 9971459

Corten
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65
Beam angle 34°
—
D: 5
W: 7
H: 20 cm

LUSY
— 9971458

Sandy White
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65
Beam angle 34°
—
D: 5
W: 7
H: 20 cm

LUSY
— 9971457

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65
Beam angle 34°
—
D: 5
W: 7
H: 20 cm

LUSY
— 9971458

LUSY
— 9971459

LUSY
— 9971457

NERO
— 910021

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
D: 7
W: 8
H: 8 cm

NERO
— 710021

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
D: 7
W: 8
H: 8 cm

NERO
— 910041

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
L: 6.7
W: 8
H: 8 cm

NERO
— 710041

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
L: 6.7
W: 8
H: 8 cm

NERO — 910021

NERO — 710021

NERO — 910041

NERO — 710041

NERO — 910022

NERO — 710022

NERO — 910042

NERO — 710042

NERO
— 910022

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light up & down
BULB EXCLUDED
—
D: 7
W: 8
H: 15 cm

NERO
— 710022

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light up & down
BULB EXCLUDED
—
D: 7
W: 8
H: 15 cm

NERO
— 910042

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light up & down
BULB EXCLUDED
—
L: 6.7
W: 8
H: 15 cm

NERO
— 710042

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light up & down
BULB EXCLUDED
—
L: 6.7
W: 8
H: 15 cm

NODUS
— 773221

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
D: 6.5
W: 10.4
H: 11 cm

NODUS
— 773221

NODUS
— 773222

Antique Brown
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED
—
D: 6.5
W: 10.4
H: 11 cm

NODUS
— 773222

NODUS
— 773223

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light up & down
BULB EXCLUDED
—
D: 6.5
W: 10.4
H: 18 cm

NODUS
— 773223

NODUS
— 773224

Antique Brown
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54
Light up & down
BULB EXCLUDED
—
D: 6.5
W: 10.4
H: 18 cm

NODUS
— 773224





JACKIE
— 9971462

JACKIE
— 9971463

JACKIE
— 9971464



JACKIE
— 9971462

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65
Beam angle 34°
Light down
—
D: 6
W: 8
H: 8 cm

JACKIE
— 9971463

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65
Beam angle 34°
Light down
—
D: 6
W: 8
H: 8 cm

JACKIE
— 9971464

Corten
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65
Beam angle 34°
Light down
—
D: 6
W: 8
H: 8 cm

LIMBIO
— 9010601

White ABS
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP44
Light down
BULB EXCLUDED
—
D: 6
W: 8.5
H: 12 cm

LIMBIO
— 9010601

LIMBIO
— 9010602

LIMBIO
— 9010602

Black ABS
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP44
Light down
BULB EXCLUDED
—
D: 6
W: 8.5
H: 12 cm

LIMBIO
— 9010622

LIMBIO
— 9010621

LIMBIO
— 9010622

Black ABS
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP44
Light up & down
BULB EXCLUDED
—
D: 8
W: 8.5
H: 16 cm

LIMBIO
— 9010621

White ABS
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP44
Light up & down
BULB EXCLUDED
—
D: 8
W: 8.5
H: 16 cm

LETO
— 9060203

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 29 cm

LETO
— 9060203

LETO
— 9060204

LETO
— 9060204

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm
3000-4000-6500K
IP65
—
L: 29
W: 14.5
H: 10.2 cm

LETO
— 9060202

LETO
— 9060205

LETO
— 9060202

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 29 cm

LETO
— 9060205

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
1208Lm
3000-4000-6500K
IP65
—
L: 14.5
W: 10.2
H: 17.5 cm

ZENITH
— 713115

ZENITH
— 713114

ZENITH
— 713113

ZENITH
— 9020932



ZENITH
— 9020933

ZENITH
— 713514

ZENITH
— 713115

Sandy White
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44
BULB EXCLUDED
—
L: 30.3
W: 9
H: 10 cm

ZENITH
— 713114

Antique Brown
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44
BULB EXCLUDED
—
L: 30.3
W: 9
H: 10 cm

ZENITH
— 713113

Dark Gray
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44
BULB EXCLUDED
—
L: 30.3
W: 9
H: 10 cm

ZENITH
— 9020932

Dark Gray
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44
BULB EXCLUDED
—
L: 30.3
W: 9
H: 10 cm

ZENITH
— 9020933

Dark Gray
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44
BULB EXCLUDED
—
L: 30.3
W: 9
H: 10 cm

ZENITH
— 713514

Dark Gray
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44
BULB EXCLUDED
—
L: 23
W: 9.5
H: 26.4 cm

ARROW
— 9050700

Dark Anthracite
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP65
—
L: 10
W: 9
H: 24 cm

ARROW
— 9050701

Brass Gold
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP65
—
L: 10
W: 9
H: 24 cm

TIEPOLO
— 9030766

Sandy White
Polycarbonate
LED · 11 Watt
220-240 Vac
885Lm · 3000K
IP65
—
L: 9.8
W: 6
H: 20.8 cm

TIEPOLO
— 9030767

Sandy Black
Polycarbonate
LED · 11 Watt
220-240 Vac
885Lm · 3000K
IP65
—
L: 9.8
W: 6
H: 20.8 cm

ARROW
— 9050700

ARROW
— 9050701

TIEPOLO
— 9030766

TIEPOLO
— 9030767



TUNE
— 9529712

Sandy White
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65
—
D: 15
W: 5.5 cm

TUNE
— 9529713

Sandy Black
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65
—
D: 15
W: 5.5 cm

TUNE
— 9529720

Sandy White
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65
—
L: 15
W: 5.5
H: 15 cm

TUNE
— 9529721

Sandy Black
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65
—
L: 15
W: 5.5
H: 15 cm

DROPLET
— 9522101

Sandy White
Aluminium
& Acrylic
LED · 6 Watt
100-240 Vac
230Lm · 3000K
IP65
—
L: 13
W: 4.5
H: 16 cm

DROPLET
— 9522102

Sandy Black
Aluminium
& Acrylic
LED · 6 Watt
100-240 Vac
230Lm · 3000K
IP65
—
L: 13
W: 4.5
H: 16 cm

ANTI SALT protection

AMEL
— 9030577

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 12.5
W: 8.5
H: 25.5 cm

AMEL
— 9030578

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 14
W: 9.4
H: 27 cm

AMEL
— 9030164

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 9.5
W: 9
H: 23 cm

AMEL
— 9030165

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
L: 9.5
W: 9
H: 23 cm



AMEL
— 9030166

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 17.5
W: 10 cm

AMEL
— 9030167

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 17.5
W: 10 cm

Ceiling

Our exterior ceiling lights combine durability and elegance to create a well-lit, inviting atmosphere for any outdoor setting. Perfect for porches, patios, and entryways, they enhance both natural and architectural elements with their stylish and functional design

SPIX
— 9971453

Dark Anthracite
Aluminium
& Glass
LED · E27
1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 20
H: 26 cm

ALI
— 9971456

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
644Lm · 3000K
IP65
—
D: 17.5
W: 13 cm

SPIX
— 9971453

ALI
— 9971456

SKY
— 9030823

OLIVER
— 9944603

OLIVER
— 9944602

TOMMY
— 9521001

TOMMY
— 9521002

SKY
— 9030823

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · 15 Watt
220-240 Vac
1197Lm · 3000K
IP65
—
D: 30
H: 7.7 cm

OLIVER
— 9944603

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 20 Watt
100-240 Vac
1550Lm · 3000K
IP65
—
D: 27
H: 7 cm

OLIVER
— 9944602

Sandy White
Aluminium
& Acrylic Diffuser
LED · 20 Watt
100-240 Vac
1550Lm · 3000K
IP65
—
D: 27
H: 7 cm

TOMMY
— 9521001

Dark Gray ABS
& Acrylic Diffuser
LED · 25 Watt
220-240 Vac
1500Lm · 3000K
IP54
—
D: 32
H: 6 cm

TOMMY
— 9521002

Dark Gray ABS
& Acrylic Diffuser
LED · 21 Watt
220-240 Vac
1260Lm · 3000K
IP54
—
L: 28
W: 28
H: 6 cm

JUDI
— 9030834

JUDI
— 9030835

JUDI
— 9030836

JUDI
— 9030837

REO
— 9030768

REO
— 9030769

JUDI
— 9030834

Sandy White
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Vac
655Lm · 3000K
IP65
—
D: 12
H: 6 cm

JUDI
— 9030835

Dark Anthracite
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Vac
655Lm · 3000K
IP65
—
D: 12
H: 6 cm

JUDI
— 9030836

Sandy White
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Vac
1485Lm · 3000K
IP65
—
D: 21
H: 6 cm

JUDI
— 9030837

Dark Anthracite
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Vac
1485Lm · 3000K
IP65
—
D: 21
H: 6 cm

REO
— 9030768

Sandy White
Polycarbonate
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65
—
D: 23.5
W: 7.5 cm

REO
— 9030769

Sandy Black
Polycarbonate
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65
—
D: 23.5
W: 7.5 cm

ANTI SALT protection

JAX
— 9050703

JAX
— 9050704

JAX
— 9030947

JAX
— 9030948

JAX
— 9971479

FOCUS
— 752461

FOCUS
— 752463

FOCUS
— 752462

JAX
— 9050703

Dark Anthracite
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP65
Beam angle 30°
—
L: 14.2
W: 4
H: 7.5 cm

JAX
— 9050704

Sandy White
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP65
Beam angle 30°
—
L: 14.2
W: 4
H: 7.5 cm

JAX
— 9030947

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
448Lm · 3000K
IP54
Beam angle 28°
—
L: 8
W: 8
H: 6.5 cm

JAX
— 9030948

Sandy White
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
448Lm · 3000K
IP54
Beam angle 28°
—
L: 8
W: 8
H: 6.5 cm

JAX
— 9971479

Dark Anthracite
Aluminium
& Glass
LED · 17 Watt
220-240 Vac
1463Lm · 3000K
IP54
Beam angle 29°
—
L: 11
W: 11
H: 8 cm

FOCUS
— 752461

Dark Anthracite
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
424Lm · 3000K
IP54
—
D: 10
H: 6.5 cm

FOCUS
— 752463

Dark Gray
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
220-240 Vac
424Lm · 3000K
IP54
—
D: 10
H: 6.5 cm

FOCUS
— 752462

Sandy White
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
424Lm · 3000K
IP54
—
D: 10
H: 6.5 cm

LUMINA
— 9030842

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
508Lm · 3000K
IP65
Beam angle 16°
—
D: 6.5
H: 9 cm

LED IP65 WARM WHITE DRIVER INCL.

LUMINA
— 9030843

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
508Lm · 3000K
IP65
Beam angle 16°
—
D: 6.5
H: 9 cm

LED IP65 WARM WHITE DRIVER INCL.

LUMINA
— 9030844

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
716Lm · 3000K
IP65
Beam angle 18°
—
D: 8
H: 10 cm

LED IP65 WARM WHITE DRIVER INCL.

LUMINA
— 9030845

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
716Lm · 3000K
IP65
Beam angle 18°
—
D: 8
H: 10 cm

LED IP65 WARM WHITE DRIVER INCL.

LUMINA — 9030842

LUMINA — 9030843

LUMINA — 9030844

LUMINA — 9030845

CECI
— 9220021

Sandy White
Aluminium
& Glass Diffuser
LED · 3 Watt
100-240 Vac
230Lm · 3000K
IP65
Beam angle 52°
—
D: 5.5
H: 11 cm

LED IP65 WARM WHITE DRIVER INCL.

CECI
— 9220022

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 3 Watt
100-240 Vac
230Lm · 3000K
IP65
Beam angle 52°
—
D: 5.5
H: 11 cm

LED IP65 WARM WHITE DRIVER INCL.

CECI
— 9200612

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
520Lm · 3000K
IP65
—
D: 9
H: 11 cm

LED IP65 WARM WHITE DRIVER INCL.

CECI
— 9200611

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
520Lm · 3000K
IP65
—
D: 9
H: 11 cm

LED IP65 WARM WHITE DRIVER INCL.



ANTI SALT protection

CECI — 9220021

CECI — 9220022

CECI — 9200612

CECI — 9200611

DARA
— 9136178

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
579Lm · 3000K
IP54
Beam angle 18°
—
D: 8
H: 11 cm

DARA
— 9136179

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
579Lm · 3000K
IP54
Beam angle 18°
—
D: 8
H: 11 cm

SPOT
— 9030821

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 7.6
H: 14 cm

SPOT
— 9030822

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 7.6
H: 14 cm

DARA — 9136178

DARA — 9136179

SPOT — 9030821

SPOT — 9030822

CERISE
— 9020021

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 6
H: 10.5 cm

CERISE
— 9020061

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 9
H: 9 cm

CERISE
— 9020022

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 8.6
W: 8.6
H: 9 cm

CERISE — 9020021

CERISE — 9040021

CERISE — 9020061

CERISE — 9040061

CERISE — 9020022

CERISE — 9040022

CERISE
— 9040021

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 6
H: 10.5 cm

CERISE
— 9040061

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 9
H: 9 cm

CERISE
— 9040022

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
L: 8.6
W: 8.6
H: 9 cm

BLADE
— 9232116

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65
—
D: 7.8
H: 7.5cm

BLADE
— 9232116

BLADE
— 9232115

BLADE
— 9232115

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65
—
D: 7.8
H: 7.5cm

BLADE
— 9232119

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65
—
D: 8.5
H: 5.4 cm

BLADE
— 9232119

BLADE
— 9232120

BLADE
— 9232120

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65
—
D: 8.5
H: 5.4 cm

BLADE
— 9232117

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65
—
D: 9
H: 4.7 cm

BLADE
— 9232117

BLADE
— 9232118

BLADE
— 9232118

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65
—
D: 9
H: 4.7 cm

Portable Lights

Our portable lights offer flexible illumination for any outdoor setting, combining convenience with functionality. Ideal for enhancing both home environments and professional spaces like restaurants and bars, they create inviting atmospheres with their warm glow and enhance any space





PUK — 9136400

PUK — 9136401

PUK — 9136402

PUK — 9136403

PUK — 9136404



BASE — 9136405

Press switch

Charging time	Working Time
5 Hrs	10-120 Hrs

! Memory of brightness & color temperature
● Low battery alert

PUK
— 9136400

[Touch Dimmable]
Sandy Black
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54
Press Switch on/off
Include single charging base
—
D: 10
H: 11.4 cm

PUK
— 9136401

[Touch Dimmable]
Sandy White
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54
Press Switch on/off
Include single charging base
—
D: 10
H: 11.4 cm

PUK
— 9136402

[Touch Dimmable]
Sage Green
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54
Press Switch on/off
Include single charging base
—
D: 10
H: 11.4 cm

PUK
— 9136403

[Touch Dimmable]
Sand
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54
Press Switch on/off
Include single charging base
—
D: 10
H: 11.4 cm

PUK
— 9136404

[Touch Dimmable]
Orange
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54
Press Switch on/off
Include single charging base
—
D: 10
H: 11.4 cm

BASE
— 9136405

Charging Base
for six products
Sandy Black Acrylic
100-240Vac
—
L: 46
W: 33
H: 4 cm
Cable Length: 150 cm



GRIGIO
— 9136452

[Touch Dimmable]
Sandy Black
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base
—
D: 10.1
H: 19.7 cm

GRIGIO
— 9136453

[Touch Dimmable]
Sandy White
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base
—
D: 10.1
H: 19.7 cm

GRIGIO
— 9136454

[Touch Dimmable]
Sage Green
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base
—
D: 10.1
H: 19.7 cm

GRIGIO
— 9136455

[Touch Dimmable]
Sand
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base
—
D: 10.1
H: 19.7 cm

BASE
— 9136405

Charging Base
for six products
Sandy Black Acrylic
100-240 Vac
—
L: 46
W: 33
H: 4 cm
Cable Length: 150 cm



GRIGIO
— 9136452

GRIGIO
— 9136453

GRIGIO
— 9136454

GRIGIO
— 9136455

Charging time	Working Time
5 Hrs	10-120 Hrs

! Memory of brightness
& color temperature
● Low battery alert

ELBO
— 9030133

ELBO
— 9030134

ELBO
— 9030135

ELBO
— 9030136

ELBO
— 9030137

ELBO
— 9030133

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9
H: 17 cm

ELBO
— 9030134

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9
H: 17 cm

ELBO
— 9030135

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9
H: 17 cm

ELBO
— 9030136

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9
H: 17 cm

ELBO
— 9030137

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9
H: 17 cm

YCRO — 9030138

YCRO — 9030139

YCRO — 9030140

YCRO — 9030141

YCRO — 9030142

YCRO
— 9030138

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8
H: 17.5 cm

YCRO
— 9030139

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8
H: 17.5 cm

YCRO
— 9030140

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8
H: 17.5 cm

YCRO
— 9030141

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8
H: 17.5 cm

YCRO
— 9030142

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8
H: 17.5 cm







DALT
— 9030143

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9.5
H: 25 cm

DALT
— 9030144

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9.5
H: 25 cm

DALT
— 9030145

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9.5
H: 25 cm

DALT
— 9030146

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9.5
H: 25 cm

DALT
— 9030147

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire
—
D: 9.5
H: 25 cm

ROUND HEAD

LUMO — 9030607

LUMO — 9030608

LUMO — 9030609

LUMO — 9030610

LUMO — 9030611

SQUARE HEAD

LUMO — 9030612

LUMO — 9030613

LUMO — 9030614

LUMO — 9030615

LUMO — 9030616

BASES

LUMO — 9030617

LUMO — 9030618

LUMO — 9030619

LUMO — 9030620

LUMO — 9030621



COMPATIBILITY

All round & square heads are compatible with bases:

— 9030617
— 9030618
— 9030619
— 9030620
— 9030621

LUMO
— 9030617

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire
—
D: 12
H: 33.2 cm

LUMO
— 9030618

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire
—
D: 12
H: 33.2 cm

LUMO
— 9030619

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire
—
D: 12
H: 33.2 cm

LUMO
— 9030620

[Touch Dimmable]
Dark Gray
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire
—
D: 12
H: 33.2 cm

LUMO
— 9030621

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire
—
D: 12
H: 33.2 cm

CHARGING BASE
— 9030622

Charging Base for one product
Combine with codes:
9030617, 9030618, 9030619,
9030620, 9030621

CHARGING BASE
— 9030623

Charging Base for six products
Combine with codes:
9030617, 9030618, 9030619,
9030620, 9030621
—
L: 42.5 W: 27 H: 3.5 cm







ROSE
— 9281380

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
—
D: 11.5
W: 11.8
H: 32 cm

ROSE
— 9281381

[Touch Dimmable]
Sandy Black
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
—
D: 11.5
W: 11.8
H: 32 cm



WORKING TIME	Charge: 4.5 hrs
100% of light	5% of light
7-8 Hrs	280 Hrs



WORKING TIME		Charge: 7-10 hrs
100% of light	40% of light	10% of light
4 Hrs	10 Hrs	50 Hrs

FUMO
— 9002863

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 230Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 11.8
H: 30 cm

FUMO
— 9002864

[Touch Dimmable]
Dark Black
& Acrylic
LED · 2 Watt
3.7 Vdc · 230Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 11.8
H: 30 cm

FUMO
— 9492441

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium
& Frost Acrylic
LED · 2 Watt
3.7 Vdc · 280Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 19
H: 38 cm

DECK
— 9030561

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8.5
H: 30 cm

DECK
— 9030561

DECK
— 9030562

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8.5
H: 30 cm

DECK
— 9030562

DECK
— 9030563

[Touch Dimmable]
Corten Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8.5
H: 30 cm

DECK
— 9030563

DECK
— 9030564

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire
—
D: 8.5
H: 30 cm

DECK
— 9030564



PETIT
— 9030711

[Touch Dimmable]
White Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off
—
D: 7
H: 28 cm

PETIT
— 9030711

PETIT
— 9030712

[Touch Dimmable]
Sandy Black Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off
—
D: 7
H: 28 cm

PETIT
— 9030712

PETIT
— 9030713

[Touch Dimmable]
Corten Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off
—
D: 7
H: 28 cm

PETIT
— 9030713

PETIT
— 9030714

[Touch Dimmable]
Olive Green
Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off
—
D: 7
H: 28 cm

PETIT
— 9030714

PETIT
— 9030715

[Touch Dimmable]
Dark Anthracite
Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off
—
D: 7
H: 28 cm

PETIT
— 9030715

! Include charging base

WORKING TIME	Charge: 4.5 hrs
100% of light	50% of light
10 Hrs	20 Hrs

SEINA
— 9223403

SEINA
— 9223403

[Touch Dimmable]
Corten
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base
—
D: 11.4
H: 39.5 cm

SEINA
— 9223404

SEINA
— 9223404

[Touch Dimmable]
Basalt Gray
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base
—
D: 11.4
H: 39.5 cm

SEINA
— 9223405

SEINA
— 9223405

[Touch Dimmable]
Olive Green
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base
—
D: 11.4
H: 39.5 cm

SEINA
— 9223406

SEINA
— 9223406

[Touch Dimmable]
Sandy Black
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base
—
D: 11.4
H: 39.5 cm

SEINA
— 9223407

SEINA
— 9223407

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base
—
D: 11.4
H: 39.5 cm

BASE
— 9223408

Sandy Black
Aluminium
PG Recharging

ADAPTOR
— 9223410

Black adaptor 5V 2A

ADAPTOR
— 9223409

Black adaptor 5V 2A

WORKING TIME	Charge: 7-8 hrs
100% of light	5% of light
8-9 Hrs	280 Hrs

COLT — 9223412

COLT — 9223413

COLT — 9223411

COLT — 9223414

COLT — 9223415

COLT
— 9223412

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire
—
D: 8
H: 30 cm

COLT
— 9223413

[Touch Dimmable]
Basalt Gray
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire
—
D: 8
H: 30 cm

COLT
— 9223411

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire
—
D: 8
H: 30 cm

COLT
— 9223414

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire
—
D: 8
H: 30 cm

COLT
— 9223415

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire
—
D: 8
H: 30 cm

ADAPTOR
— 9223410

White adaptor 5V 2A

ADAPTOR
— 9223409

Black adaptor 5V 2A



WORKING TIME	Charge: 7-8 hrs
100% of light	5% of light
8-9 Hrs	280 Hrs

COLT
— 9223997

COLT
— 9223998

COLT
— 9223999

COLT
— 9121911

COLT
— 9121912

COLT
— 9223997

[Touch Dimmable]
Basalt Gray
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm

COLT
— 9223998

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm

COLT
— 9223999

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm

COLT
— 9121911

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm

COLT
— 9121912

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm

ADAPTOR
— 9223409

Black adaptor 5V 2A

ADAPTOR
— 9223410

White adaptor 5V 2A

JIGRA
— 9002876

[Touch Dimmable]
Dark Anthracite
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
USB wire
—
D: 16
W: 16
H: 22.8 cm

JIGRA
— 9002877

[Touch Dimmable]
Dark Anthracite
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 210Lm
3000K · IP54
USB wire
—
D: 16
W: 16
H: 22 cm

JIGRA
— 9002876

! Charging time: 3 Hrs

JIGRA
— 9002877

VERHAL
— 9002862

[Touch Dimmable]
Dark Anthracite
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
Solar light
Switch on/off
USB wire
—
L: 16
W: 16
H: 47.5 cm

VERHAL
— 9002861

[Touch Dimmable]
Sandy White
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
Solar light
Switch on/off
USB wire
—
L: 16
W: 16
H: 47.5 cm

SOLAR LIGHT



VERHAL
— 9002862

VERHAL
— 9002861

WORKING TIME		Charge: 7-10 hrs
100% of light	40% of light	10% of light
4 Hrs	10 Hrs	50 Hrs

LUCIA
— 9176103

Sandy White
Aluminium
LED · 4 Watt
3.7 Vdc · 223Lm
3000K · IP54
Switch on/off
USB wire
—
L: 12
W: 12
H: 30 cm

LUCIA
— 9176104

Sandy Black
Aluminium
LED · 4 Watt
3.7 Vdc · 223Lm
3000K · IP54
Switch on/off
USB wire
—
L: 12
W: 12
H: 30 cm

LUCIA
— 9176103

LUCIA
— 9176104

TEGOLO
— 9136432

Sandy White
Aluminium & Glass
LED · 2 Watt
5 Vdc · 231Lm
3000K · IP54
Solar light
USB wire
Wall Base Inlcuded
—
L: 15.1
W: 16.6
H: 39.2 cm

TEGOLO
— 9136431

Dark Anthracite
Aluminium & Glass
LED · 2 Watt
5 Vdc · 231Lm
3000K · IP54
Solar light
USB wire
Wall Base Inlcuded
—
L: 15.1
W: 16.6
H: 39.2 cm

TEGOLO
— 9136432



TEGOLO
— 9136431

SOLAR LIGHT

- Stepless dimmable
- Memory of brightness
- Low battery alert

CHARGING TIME

Solar	USB Type-C
19 Hrs	5 Hrs

- The two modes can be switched:
  1) Basic mode: touch switch, working time: 10-120 hrs
  2) Twilight sensor mode: automatically light up at night







BALI
— 9922360

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7Vdc · 399Lm
3000K · IP65
Solar Light
Switch on/off
—
L: 18
W: 18
H: 35 cm

BALI
— 9922510

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7Vdc · 399Lm
3000K · IP65
Solar Light
Switch on/off
—
L: 18
W: 18
H: 51 cm

SOLAR LIGHT

BALI
— 9922360

CHARGING TIME

Solar	USB
3 Days	4-5 Hrs

BALI
— 9922510



MOCHA
— 9492700

FIGI
— 9922350

FIGI
— 9923500

Charging Time
4-5 Hrs

MOCHA
— 9492700

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 191Lm
3000K · IP54
Switch on/off
USB wire
—
D: 15
H: 35 cm

FIGI
— 9922350

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP65
Switch on/off
USB wire
—
L: 14.5
W: 14.5
H: 35 cm

FIGI
— 9923500

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7 Vdc · 271Lm
3000K · IP65
Switch on/off
USB wire
—
L: 14.5
W: 14.5
H: 50 cm

PERSEA
— 9030625

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 181Lm
3000K · IP54
Switch on/off
USB wire
—
D: 11.5
H: 115 cm



PERSEA
— 9030625

Step Lights

Our step lights enhance safety and style, illuminating stairs and pathways with a subtle, effective glow. Perfect for creating secure and visually appealing spaces, they combine functionality with elegant design







PAN
— 9030932

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
378Lm · 3000K
IP54
Backlight
—
D: 15
W: 7 cm

PAN
— 9030933

Corten
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
378Lm · 3000K
IP54
Backlight
—
D: 15
W: 7 cm

ANTI SALT protection

PAN
— 9030932

7
15

PAN
— 9030933

BRIGI
— 9020927

Dark Gray
Alluminium
Acrylic Cover
& Diffuser
LED · 1 Watt
220-240 Vac
159Lm · 3000K
IP65
—
D: 11
W: 3.1

ARNE
— 9492680

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · 2 Watt
220-240 Vac
39Lm · 3000K
IP54
Beam angle 46°
—
D: 12
W: 2.9

BRIGI
— 9020927

3,1
11

ARNE
— 9492680



2,9
12

RODIX
— 9136437

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54
—
D: 16
W: 3.1 cm

RODIX — 9136437

FEM — 9136440

FEM
— 9136440

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54
—
L: 16
W: 2.7
H: 16 cm

RODIX
— 9136438

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54
—
D: 16
W: 3.1 cm

RODIX — 9136438

FEM — 9136441

FEM
— 9136441

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54
—
L: 16
W: 2.7
H: 16 cm

RODIX
— 9136439

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54
—
D: 16
W: 3.1 cm

RODIX — 9136439

FEM — 9136442

FEM
— 9136442

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54
—
L: 16
W: 2.7
H: 16 cm

NECTAR
— 9030838

Dark Anthracite
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
115Lm · 3000K
IP65
—
D: 12
W: 2.8 cm

NECTAR
— 9030840

Dark Anthracite
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
159Lm · 3000K
IP65
—
L: 11
W: 3
H: 11 cm

TOBY
— 9030813

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
99Lm · 3000K
IP54
—
D: 11
W: 2.2 cm

TOBY
— 9030811

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
91Lm · 3000K
IP54
—
L: 10.5
W: 2.2
H: 10.5 cm

ANTI SALT protection

NECTAR
— 9030838

NECTAR
— 9030839

NECTAR
— 9030840

NECTAR
— 9030841

TOBY
— 9030813

TOBY
— 9030814

TOBY
— 9030811

TOBY
— 9030812

NECTAR
— 9030839

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
115Lm · 3000K
IP65
—
D: 12
W: 2.8 cm

NECTAR
— 9030841

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
159Lm · 3000K
IP65
—
L: 11
W: 3
H: 11 cm

TOBY
— 9030814

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
99Lm · 3000K
IP54
—
D: 11
W: 2.2 cm

TOBY
— 9030812

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
91Lm · 3000K
IP54
—
L: 10.5
W: 2.2
H: 10.5 cm

SUB
— 9136416

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65
—
L: 13.5
W: 3.5
H: 8.5 cm

SUB
— 9136417

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65
—
L: 13.5
W: 3.5
H: 8.5 cm

SUB
— 9136418

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65
—
L: 13.5
W: 3.5
H: 8.5 cm

ANTI SALT protection

SUB — 9136416

SUB — 9136417

SUB — 9136418



LIV
— 9018062

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 4 Watt
200-240 Vac
245Lm · 3000K
IP54
—
L: 13
W: 3
H: 5.5 cm

LIV
— 9018061

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · 4 Watt
200-240 Vac
245Lm · 3000K
IP54
—
L: 13
W: 3
H: 5.5 cm

LIV — 9018062



LIV — 9018061

VISION
— 9492690

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · 2 Watt
220-240 Vac
34Lm · 3000K
IP54
Beam angle 46°
—
L: 10
W: 2.9
H: 6.7 cm

RIO
— 9492670

Dark Anthracite
Die-Casting
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
122Lm · 3000K
IP65
—
L: 22.7
W: 3.5
H: 12.7 cm

VISION — 9492690

RIO — 9492670



PASSO
— 9136410

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136411

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm

PASSO
— 9136412

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm

PASSO
— 9136413

Sandy Black
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm

PASSO
— 9136414

Sandy White
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm

PASSO
— 9136415

Corten
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm

SANGO
— 9136433

Sandy Black
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm

SANGO
— 9136434

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm

SANGO
— 9136435

Dark Gray
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm

SANGO
— 9136436

Corten
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



ANTI SALT protection

SANGO
— 9136433

SANGO
— 9136434



SANGO
— 9136435

SANGO
— 9136436

SOREN
— 9050726

SOREN
— 9050727

SOREN
— 9050728



SOREN
— 9050726

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 3000K
IP65
—
L: 4
W: 5.8
H: 9.7 cm

SOREN
— 9050727

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 3000K
IP65
—
L: 4
W: 5.8
H: 9.7 cm

SOREN
— 9050728

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 3000K
IP65
—
L: 4
W: 5.8
H: 9.7 cm

APPIA
— 9030597

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
367Lm · 3000K
IP54
—
L: 12.5
W: 3.8
H: 12.5 cm

APPIA
— 9030598

Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
367Lm · 3000K
IP54
—
L: 12.5
W: 3.8
H: 12.5 cm

APPIA
— 9030599

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
350Lm · 3000K
IP54
—
L: 8.5
W: 3.8
H: 20 cm

APPIA
— 9030600

Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
350Lm · 3000K
IP54
—
L: 8.5
W: 3.8
H: 20 cm



LUTON
— 8403624

KRYPTON
— 726408



LUTON
— 8403626

KRYPTON
— 752250



LUTON
— 8403622

KRYPTON
— 710446

LUTON
— 8403624

Dark Gray ABS
LED · 1 Watt
100-220 Vac
145Lm · 3000K
IP65
—
L: 12.5
W: 3.3
H: 12.5 cm

LUTON
— 8403626

Dark Gray ABS
LED · 1 Watt
100-220 Vac
150Lm · 3000K
IP65
—
L: 12.5
W: 3.3
H: 8.3 cm

LUTON
— 8403622

Dark Gray ABS
LED · 2 Watt
100-220 Vac
212Lm · 3000K
IP65
—
L: 23
W: 3.3
H: 8 cm

KRYPTON
— 726408

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54
Beam angle 15°
—
L: 8.5
W: 5
H: 8.5 cm

KRYPTON
— 752250

Dark Gray
Aluminium
LED · 6 Watt
220-240 Vac
751Lm · 3000K
IP54
Beam angle 32°
—
L: 15
W: 7.5
H: 15 cm

KRYPTON
— 710446

Dark Gray
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
480Lm · 3000K
IP54
Beam angle 31°
—
D: 16
W: 9.6 cm

PULSAR
— 812103



PULSAR
— 812104

PULSAR
— 811501

PULSAR
— 812302

PULSAR
— 811201

PULSAR
— 812102

PULSAR
— 811502

PULSAR
— 812103

[Dip-switch]
Dark Gray ABS
Acrylic
& White Diffuser
LED · 6 Watt
220-240 Vac
683Lm · IP54
3000K-4000K-6500K
—
L: 23
W: 10
H: 6.5 cm

PULSAR
— 812104

[Dip-switch]
Dark Gray ABS
Acrylic
& White Diffuser
LED · 6 Watt
220-240 Vac
480Lm · IP54
3000K-4000K-6500K
—
L: 23
W: 10
H: 6.7 cm

PULSAR
— 811501

[Dip-switch]
Dark Gray ABS
Acrylic
& White Diffuser
LED · 4 Watt
220-240 Vac
557Lm · IP54
3000K-4000K-6500K
—
L: 23
W: 3
H: 8 cm

PULSAR
— 812302

[Dip-switch]
Dark Gray ABS
LED · 4 Watt
220-240 Vac
527Lm · IP54
3000K-4000K-6500K
—
L: 14
W: 3
H: 14 cm

PULSAR
— 811201

[Dip-switch]
Dark Gray ABS
LED · 2 Watt
220-240 Vac
269Lm · IP54
3000K-4000K-6500K
—
L: 12
W: 3
H: 12 cm

PULSAR
— 812102

[Dip-switch]
Dark Gray ABS
LED · 4 Watt
220-240 Vac
462Lm · IP54
3000K-4000K-6500K
—
L: 23
W: 3
H: 10 cm

PULSAR
— 811502

[Dip-switch]
Dark Gray ABS
LED · 2 Watt
220-240 Vac
365Lm · IP54
3000K-4000K-6500K
—
L: 23
W: 3
H: 8 cm



FINLO
— 9117080

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117086

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117084

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117080



FINLO
— 9117086



FINLO
— 9117084



SOURCE
— 9117082

Gray Aluminium
LED · 4 Watt
220-240 Vac
112Lm · 3000K
IP65
HEP DRIVER
Compatible with:
9117080, 9117084, 9117086
—
L: 6.5
W: 6.7
H: 3.9 cm

SOURCE
— 9117082

MORIS
— 9186703

MORIS
— 9186703

Gray Cement
LED · 8 Watt
220-240 Vac
418Lm · 3000K
IP65
—
L: 20
W: 9
H: 21.5 cm



KRYPTON
— 726403

Sandy White
Aluminium
LED · 2 Watt
220-240 Vac
95Lm · 3000K
IP54
Beam angle 17°
—
L: 8.5
W: 8
H: 5.5cm
Cut Out: 8.1x4.2 cm

KRYPTON
— 726403

KRYPTON
— 726404

KRYPTON
— 726402

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
353Lm · 3000K
IP54
Beam angle 15°
—
L: 11.3
W: 6.5
H: 7.6 cm
Cut Out: 10.9x7.1 cm

KRYPTON
— 726402

KRYPTON
— 726401



KRYPTON
— 726405

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
202Lm · 3000K
IP54
Beam angle 17°
—
L: 13.5
W: 8
H: 5.5 cm
Cut Out: 12.7x4.5 cm

KRYPTON
— 726405

KRYPTON
— 726406

KRYPTON
— 727001

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54
Beam angle 15°
—
L: 6.5
W: 6.3
H: 7 cm
Cut Out: 6x5.5 cm

KRYPTON
— 727001

KRYPTON
— 727002

KRYPTON
— 726404

Dark Gray
Aluminium
LED · 2 Watt
220-240 Vac
95Lm · 3000K
IP54
Beam angle 17°
—
L: 8.5
W: 8
H: 5.5cm
Cut Out: 8.1x4.2 cm

KRYPTON
— 726401

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
353Lm · 3000K
IP54
Beam angle 15°
—
L: 11.3
W: 6.5
H: 7.6 cm
Cut Out: 10.9x7.1 cm

KRYPTON
— 726406

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
202Lm · 3000K
IP54
Beam angle 17°
—
L: 13.5
W: 8
H: 5.5 cm
Cut Out: 12.7x4.5 cm

KRYPTON
— 727002

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54
Beam angle 15°
—
L: 6.5
W: 6.3
H: 7 cm
Cut Out: 6x5.5 cm

ECHO
— 9030809

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 6 Watt
220-240 Vac
370Lm · 3000K
IP54
—
L: 17.6
W: 6.3
H: 6.25 cm
Cut out: 14.6x6.25 cm

ECHO
— 9030810

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 6 Watt
220-240 Vac
370Lm · 3000K
IP54
—
L: 17.6
W: 6.3
H: 6.25 cm
Cut out: 14.6x6.25 cm

VIVION
— 9030819

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · 1 Watt
220-240 Vac
29Lm · 3000K
IP54
—
L: 10
W: 6.5
H: 5 cm
Cut out: 9x6.2 cm

VIVION
— 9030820

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · 1 Watt
220-240 Vac
29Lm · 3000K
IP54
—
L: 10
W: 6.5
H: 5 cm
Cut out: 9x6.2 cm

ECHO
— 9030809



ECHO
— 9030810

VIVION
— 9030819

VIVION
— 9030820

OFF
— 9030776

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 4 Watt
220-240 Vac
33Lm · 3000K
IP65
—
L: 17
W: 5.3
H: 7.6 cm
Cut Out: 16.1x7.1 cm

OFF
— 9030776

OFF
— 9030777

POLKA
— 9030757

OFF
— 9030777

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 6 Watt
220-240 Vac
79Lm · 3000K
IP65
—
L: 25.6
W: 5.3
H: 7.6 cm
Cut Out: 24.6x7 cm

POLKA
— 9030774

POLKA
— 9030775



POLKA
— 9030760

POLKA
— 9030761

MONO
— 9026145

MONO
— 9026144

POLKA
— 9030774

Sandy Black
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
55Lm · 3000K
IP65
—
L: 17
W: 7.4
H: 7.6 cm
Cut Out: 16.1x7.1 cm

POLKA
— 9030775

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
73Lm · 3000K
IP65
—
L: 25
W: 7.4
H: 7.6 cm
Cut Out: 24.6x7 cm

POLKA
— 9030757

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
31Lm · 3000K
IP65
Beam angle 48°
—
L: 8.5
W: 7.2
H: 8.5 cm
Cut out: 7.6x7.6 cm

POLKA
— 9030760

Sandy Black
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
58Lm · 3000K
IP65
—
L: 12
W: 7.4
H: 8 cm
Cut out: 11x7 cm

POLKA
— 9030761

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
58Lm · 3000K
IP65
—
L: 12
W: 7.4
H: 8 cm
Cut out: 11x7 cm

MONO
— 9026144

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
70Lm · 3000K
IP65
—
L: 5.8
W: 4.5
H: 5.8 cm
Cut Out: 5x5 cm

MONO
— 9026145

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
70Lm · 3000K
IP65
—
L: 5.8
W: 4.5
H: 5.8 cm
Cut Out: 5x5 cm

RUDY
— 9030758

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Vac
203Lm · 3000K
IP65
—
L: 12
W: 4.7
H: 8 cm

RUDY
— 9030759

Sandy White
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Vac
203Lm · 3000K
IP65
—
L: 12
W: 4.7
H: 8 cm

OLIN
— 9050705

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
186Lm · 3000K
IP65
—
L: 10.2
W: 5.8
H: 7.8 cm
Cut Out: 8x5.6 cm

OLIN
— 9050706

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
186Lm · 3000K
IP65
—
L: 10.2
W: 5.8
H: 7.8 cm
Cut Out: 8x5.6 cm

RUDY
— 9030758

RUDY
— 9030759

OLIN
— 9050705

OLIN
— 9050706





AIZEN
— 9050707

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 5
W: 6.5 cm
H: 13.5
Cut Out: 12.6x4.2 cm

AIZEN
— 9050707

AIZEN
— 9026120

AIZEN
— 9026120

Sandy White
Aluminium
& Glass
LED · 3 Watt
100-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
L: 5
W: 6.5 cm
H: 13.5
Cut Out: 12.6x4.2 cm

AIZEN
— 9050708

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 7
W: 5.6
H: 6.5 cm
Cut Out: 6x5.5 cm

AIZEN
— 9050708

AIZEN
— 9050709

AIZEN
— 9050709

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 7
W: 5.6
H: 6.5 cm
Cut Out: 6x5.5 cm

AIZEN
— 9136185

Dark Anthracite
Aluminium
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm

AIZEN
— 9136185

AIZEN
— 9136186

AIZEN
— 9136186

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm

JOYA
— 9944141

Dark Anthracite
Aluminium
LED · 3 Watt
100-240 Vac
16Lm · 3000K
IP65
Beam angle 21°
—
D: 6
W: 4
Cut Out: 5.5 cm

JOYA
— 9944142

Dark Anthracite
Aluminium
LED · 3 Watt
100-240 Vac
23Lm · 3000K
IP65
Beam angle 19°
—
D: 6
W: 4
Cut Out: 5.5 cm

KRYPTON
— 726407

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
96Lm · 3000K
IP54
Beam angle 27°
—
D: 8
W: 5.5 cm
Cut Out: 7.7 cm

JOYA
— 9944141

JOYA
— 9944142

KRYPTON
— 726407



CAEL
— 9050710
— 9050711

CAEL
— 9050712
— 9050713

CIRCE
— 9136187

CIRCE
— 9136188

COVE
— 9083011

COVE
— 9083021



CAEL
— 9050711 (2700K)
— 9050710 (3000K)

Dark Anthracite
Aluminium & Glass
LED · 3 Watt
220-240 Vac
2700K · 77Lm
3000K · 84Lm
IP65
Beam angle 50°
—
L: 7
W: 7.5
H: 7 cm

CAEL
— 9050713 (2700K)
— 9050712 (3000K)

Sandy White
Aluminium & Glass
LED · 3 Watt
220-240 Vac
2700K · 123Lm
3000K · 130Lm
IP65
Beam angle 50°
—
L: 7
W: 7.5
H: 7 cm

CIRCE
— 9136187

Dark Anthracite
Aluminium
LED · 3 Watt
220-240V
170Lm · 3000K
IP54
Beam angle 50°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm

CIRCE
— 9136188

Sandy White
Aluminium
LED · 3 Watt
220-240V
170Lm · 3000K
IP54
Beam angle 50°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm

COVE
— 9083011

Sandy White
Die- Casting
Aluminium
& Glass Diffuser
LED · 2 Watt
200-240 Vac
118Lm · 3000K
IP54
—
L: 14
W: 3.8
H: 7.7 cm
Cut Out: 13.2x5 cm

COVE
— 9083021

Sandy White
Die- Casting
Aluminium
& Glass Diffuser
LED · 2 Watt
200-240 Vac
118Lm · 3000K
IP54
—
L: 7.7
W: 3.8
H: 14 cm
Cut Out: 7.4x5 cm





COMPO
— 9019216

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
17Lm · 3000K
IP67
—
D: 5
W: 9 cm
Cut Out: 4.3 cm

COMPO
— 9019215

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
17Lm · 3000K
IP67
—
D: 5
W: 9 cm
Cut Out: 4.3 cm

ERIS
— 9019217

Sandy Black
Aluminium
LED · 1 Watt
220-240 Vac
24Lm · 3000K
IP67
Light down
—
D: 6
W: 5.4 cm
Cut Out: 4.3 cm

ERIS
— 9019218

Sandy Black
Aluminium
LED · 1 Watt
220-240 Vac
26Lm · 3000K
IP67
Light up & down
—
D: 6
W: 5.4 cm
Cut Out: 4.3 cm

COMPO
— 9019216

COMPO
— 9019215

ERIS
— 9019217



ERIS
— 9019218

IKO
— 9019219

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
40Lm · 3000K
IP67
Light down
—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm

IKO
— 9019220

Sandy Black
Polycarbonate
LED · 1 Text
220-240 Vac
40Lm · 3000K
IP67
Light down
—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm

IKO
— 9019221

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
45Lm · 3000K
IP67
Light up & down
—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm

IKO
— 9019222

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
45Lm · 3000K
IP67
Light up & down
—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm

IKO
— 9019219

IKO
— 9019220

IKO
— 9019221

IKO
— 9019222







BANG
— 9203111

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 42°
—
D: 4.2
H: 9 cm
Cut Out: 3.7 cm

BANG
— 9203112

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 51°
—
D: 4.2
H: 9 cm
Cut Out: 3.7 cm

BANG
— 9203113

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 42°
—
D: 4.2
H: 7 cm
Cut Out: 3.7 cm

! For in ground installations, to avoid ingression of water or humidity we strongly recommend a watercourse installation.
Warranty is only guaranteed under these circumstances.

BANG
— 9019212

Nickel Aluminium
LED · 1 Watt
3 Vdc · 105Lm
3000K · IP67
Connect it with driver 9020170
—
L: 3.7
H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght: 1.80m

BANG
— 9019213

Nickel Aluminium
LED · 1 Watt
3 Vdc · 99Lm
3000K · IP67
Connect it with driver 9020170
—
L: 3.7
H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght: 1.80m

BANG
— 8038801

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 19Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm

BANG
— 8038401

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 105Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm

BANG
— 8039001

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 11.4Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm

! Compatible with:
9020170
Driver 4w Actec Mini

Input:
100-240 Vac
50/60Hz
Output:
3-12 Vdc · 350mA
IP65
Not Dimmable
Cable length:
1.80m

PASSAGIO
— 8090801

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 18Lm
3000K · IP54
Connect it with driver 9020170
—
L: 3.7
W: 2.2
H: 3.7cm
Cut Out: 3.2 cm
Cable Lenght: 1.80m

PASSAGIO
— 9045418

Sandy Black
Aluminium
LED · 1 Watt
3 Vdc · 18Lm
3000K · IP54
Connect it with driver 9020170
—
L: 3.7
W: 2.2
H: 3.7cm
Cut Out: 3.2 cm
Cable Lenght: 1.80m

PASSAGIO
— 9045514

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 32Lm
3000K · IP54
Connect it with driver 9020170
—
L: 3.7
W: 2.1
H: 3.7cm
Cut Out: 3.2 cm
Cable Lenght: 1.80m

PASSAGIO
— 8058001

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 41Lm
3000K · IP54
Connect it with driver 9020170
—
L: 3.9
W: 2.2
H: 3.9 cm
Cut Out: 3.4 cm
Cable Lenght: 1.80m

PASSAGIO
— 9031616

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 70Lm
3000K · IP54
Connect it with driver 9020170
—
D: 3.9
W: 2.1 cm
Cut Out: 3.2 cm
Cable Lenght: 1.80m

PASSAGIO
— 9002601

Sandy White
Aluminium
LED Chip Cree
2 Watt
3 Vdc · 40Lm
3000K · IP54
Beam angle 49°
Driver Included
—
D: 5
W: 5
Cut Out: 4.5 cm

PASSAGIO
— 8090801

PASSAGIO
— 9045418

PASSAGIO
— 9045514

PASSAGIO
— 8058001

PASSAGIO
— 9031616

PASSAGIO
— 9002601

Compatible with:
9020170
Driver 4w Actec Mini

Input:
100-240 Vac · 50/60Hz
Output:
3-12 Vdc · 350mA
IP65
Not Dimmable
Cable length: 1.80m

Accent Lighting

Our accent lights are designed to add depth, warmth, and elegance to any space. Whether highlighting architectural features, artwork, or specific areas, they create a captivating ambiance that enhances your décor.
With energy-efficient LED options designs, our accent lighting solutions offer both functionality and style, making any setting more inviting and visually dynamic.

ONE
— 9030920

ONE
— 9030921

ANTI SALT protection

ANDER
— 9050702

ONE
— 9030920

Sandy Black
Aluminium
LED · 4 Watt
24Vdc · 295Lm
3000K · IP65
Beam angle 33°
—
D: 4.5
H: 7.5 cm
Fabric belt: 1m

ONE
— 9030921

Sandy Black
Aluminium
LED · 8 Watt
24Vdc · 464Lm
3000K · IP65
Beam angle 33°
—
D: 5
H: 9 cm
Fabric belt: 1m

ANDER
— 9050702

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
220-240 Vac
604Lm · IP65
CCT
3000-4000-5000K
by Touch Switch
Beam angle 47°
—
L: 13.5
W: 7
H: 16.5 cm

FOX
— 9470582

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 14
H: 16 cm

FOX
— 9470581

Black Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 14
H: 16 cm

FOX
— 9470582

FOX
— 9470581

QUICK
— 9844057

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
398Lm · 2700K
IP65
Included plastic spike (+19 cm)
—
D: 6.5
H: 11 cm

QUICK
— 9844058

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
697Lm · 2700K
IP65
Included plastic spike (+19 cm)
—
D: 6.5
H: 11 cm

QUICK
— 9844059

Sandy Black
Aluminium
LED · 13 Watt
220-240 Vac
1160Lm · 2700K
IP65
Included plastic spike (+19 cm)
—
D: 8
H: 14 cm

CALIX
— 9172870

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
273Lm · 3000K
IP65
—
D: 4
W: 7.3
H: 22.5 cm

QUICK
— 9844057

QUICK
— 9844058

QUICK
— 9844059

CALIX
— 9172870

INSIDE
— 9010001

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
295Lm · 3000K
IP65
—
D: 4.5
W: 9
H: 21-26 cm

INSIDE
— 9010002

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
579Lm · 3000K
IP65
—
D: 6.5
W: 13
H: 24-31 cm

INSIDE
— 9010003

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
303Lm · 3000K
IP65
—
D: 4.2
W: 7
H: 21-24 cm

INSIDE
— 9010005

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
579Lm · 3000K
IP65
—
D: 6.5
W: 10
H: 24-28 cm



MINI
— 9010004

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
303Lm · 3000K
IP65
—
D: 4.2
W: 7
H: 5.5-8 cm

BASE
— 9010006

Sandy Black
Aluminium
Combine with
9010002 & 9010005
—
D: 5.5
W: 5.5
H: 4 cm

STAKE
— 9271432

Dark Anthracite
Aluminium & Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 9
H: 33 cm

STAKE
— 9271492

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65
Beam angle 24°
—
D: 6.5
W: 11
H: 35 cm

STAKE
— 9971455

Dark Anthracite
Aluminium & Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 7
H: 45 cm

KIMIKO
— 9026126

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 7
H: 12.5 cm

KIMIKO
— 9026127

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 7
W: 12.5
H: 21 cm

VIDA
— 9026128

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 7
W: 9.5
H: 21 cm

INSIDE
— 767801

Dark Gray
Aluminium
& Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 11
H: 20 cm

INSIDE
— 875409

Dark Gray
Aluminium
& Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 7.5
W: 15
H: 36 cm

DESTRY
— 9136183

Dark Anthracite
Aluminium, Glass
& Honeycomb
Antiglare Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 5.5
W: 9.5
H: 30 cm

DESTRY
— 9136184

Dark Anthracite
Aluminium, Glass
& Honeycomb
Antiglare Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 5.5
W: 9.5
H: 11.5 cm

NORTH
— 9240677

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
100-240 Vac
700Lm · 3000K
IP65
Beam angle 38°
—
D: 9
W: 9.5 cm

NORTH
— 9240678

Dark Anthracite
Aluminium & Glass
LED · 20 Watt
100-240 Vac
1500Lm · 3000K
IP65
Beam angle 38°
—
D: 12
W: 18 cm

NORTH
— 9240679

Dark Anthracite
Aluminium & Glass
LED · 30 Watt
100-240 Vac
2800Lm · 3000K
IP65
Beam angle 38°
—
D: 15
W: 20.5 cm

WALL WASHER
— 9011161

Wall Washer Sandy
Black Aluminium
& Glass
LED Chip Cree
36 Watt
24Vdc Adjustable
3284Lm · 3000K
IP67
Max Power 300 Watt
—
L: 100
W: 6.5
H: 12 cm

WALL WASHER
— 9011162

Wall Washer Sandy
Black Aluminium
& Glass
LED Chip Cree
44 Watt
24Vdc Adjustable
4223Lm · 3000K
IP67
Max Power 300 Watt
—
L: 100
W: 6.5
H: 12 cm

BRACKET
— 9011163

Brackets for 9011162
2pcs Included

WALL WASHER
— 9011161



WALL WASHER
— 9011162



INSTALLATION

Compatible with:
Multiple luminaires,
parallel 24Vdc connection:

9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

CONNECTION: 9011161 - 9011162







! WATERPROOF
ULTRA THIN

WALL WASHER
— 9011102

Wall Washer Satin
Nickel Aluminium
& Glass
LED Chip Philips
24Vdc · 15 Watt
746Lm · 3000K
IP67
—
L: 100
W: 2.5
H: 3.5 cm

Compatible with:
Multiple luminaires,
parallel 24Vdc connection:

9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

INSTALLATION



WALL WASHER
— 9011102

Index

ALPHABETICAL INDEX

A

ACQUA 120
ADORAY 189
ADURO 97
AETHER 141
AGILE 270
AGOSTO 94
AIGO 177
AIRY 59
AIZEN 411
AKMI 170
ALI 321
ALLEY 47
ALLURE 255
ALP 282
ALUX 235
AMEL 314
ANDER 424
ANETH 249
APOLLO 120
APPIA 394
ARABELLA 269
ARAN 216
ARION 153
ARNE 379
ARROW 310
ARTU 264
ASTRAL 258
AZAR 287

B

BALI 369
BANG 416
BARCO 206
BERNI 168
BETA 296
BEV 213
BLADE 333
BLISS 111
BOXY 288
BREGGO 243
BRICE 286
BRIGI 379
BRIGITTA 109
BRIN 270
BROT 68
BROWN 256

C

CAEL 413
CAIRO 206
CALIX 427
CAPE 263
CAPO 130
CARINA 85
CASTRO 219
CECI 329
CERISE 331
CETERA 192
CHARGING BASE 350
CHIARO 54
CICO 232
CIRCE 413
COLT 360
COMBO 265
COMO 275,279,292
COMPO 414
COPPER 230
COSMIC 167
COVE 413
CRAM 208
CUPPA 184

D

DALT 347
DARA 330
DARF 296
DARMA 144
DECK 355
DESSAY 149
DESTRY 432
DEVORA 181
DEWEI 287
DEWI 293
DIO 283
DIRA 27
DOUL 249
DROPLET 313
DUOMO 284
DYN 156
DYOL 142

E

ECHO 404
ELBO 342
ELIO 280
ELLERY 105
ELYSIUM 178
EMILE 223,225
ENZI 118
EPIC 275
ERIS 414
ETA 26

F

FARGE 114
FEDOR 269
FEM 380
FEND 132
FERRON 126
FIGI 370
FIGO 189
FINLO 400
FLORA 254
FOCUS 134,297,327
FOX 425
FUENTO 223
FUMO 353
FUNGO 264

G

GERBER 272
GLEAM 72
GRANTE 216
GRAVITY 270
GRIGIO 341

H

HELMET 297

I

IKO 415
IMAN 34
INGA 253
INSIDE 428,432
ISIDORA 198
ISOS 247

J

JACKIE 303
JAX 326
JIGRA 364
JOYA 412
JUDI 324

K

KEEN 260,262
KIMIKO 431
KIOO 48
KRYPTON 397,402,412

L

LETO 306
LIDO 222
LIMBIO 304
LITA 221
LIV 386
LOCK 127
LOEVE 187
LORD 70
LOVETO 156
LUA 204
LUCIA 367
LUMINA 328
LUMO 349
LUNA 220
LUPO 262
LUSY 299
LUTON 397
LUXOR 70

M

MABEL 30
MADDI 99
MARBLE 44
MAX 94
METRO 66
MILE 269
MILEY 285
MINI 428
MINIMAL 102
MINOR 227
MISTI 170
MOBY 236
MOCHA 370
MONO 407
MOOD 87
MOON 160,162
MORIS 401
MOTLEY 81,83

N

NAVY 202
NAWA 150
NECTAR 271,383
NED 111
NEMO 87
NEREUS 177
NERO 301
NEVE 64
NITRO 88
NOBU 263
NOCTA 266
NODINO 214
NODUS 302
NOOI 68
NORTH 433
NOTEN 60
NOVA 252
NUS 296

O

OFF 406
OFIR 74
OLIN 408
OLIVER 323
OMIKA 196
ONE 424
OONO 265
OPERA 277
OPTUS 175
OPU 184
ORACLE 78
ORION 290
OVI 297

P

PACIFIC 190
PAN 378
PAR 225
PARK 117
PARRIS 271
PASSAGIO 418
PASSO 389
PATH 251
PAUL 155
PAX 172
PEC 128
PERSEA 373
PETIT 356
PETRA 226
PIPE 77
PISTILLO 64
POET 74
POLKA 406,407
POLLY 266
PORTAL 103
POSEN 118
PRATO 292
PRIM 273
PRIVE 182,238
PUK 339
PULSAR 398
PURE 271
PYRO 123

Q

QUICK 427

R

RAMO 130
REGINA 241
REO 324
RIDGE 244
RIO 387
RITZ 224
ROB 51
ROCK 60
RODIX 380
ROSE 352
RUDY 408

S

SALLY 272
SANGO 391
SASSO 39
SEINA 359
SELENA 194
SENTO 139
SERIKA 284
SKY 323
SLOT 146
SOHO 293
SOLSTICE 28
SOREN 392
SORREN 241
SOUL 57
SPIX 321
SPOT 330
SPY 136
STAGE 214
STAKE 430
STARK 181
STICK 124
STONE 92
STOR 40
SUB 384
SUITE 90
SURF 175

T

TAGLIO 63
TALA 57,97
TALL 101
TEGOLO 366
TEK 53
TICK 291
TIEN 97
TIEPOLO 310
TOBY 383
TOMMY 323
TORRIN 298
TOWER 88
TRENDO 273
TUBE 37
TUNE 313
TURA 211
TWIN 113

V

VALOR 273
VEIRO 285
VEL 73
VERHAL 365
VIDA 431
VIDENO 272
VIRTUS 32
VISION 387
VIVION 404
VOLVEL 112

W

WALL WASHER 434
WAY 294

Y

YCRO 344
YOKO 294
YORK 295

Z

ZARI 279
ZARO 293
ZELDA 107
ZENITH 308
ZENON 263
ZEST 187
ZIRI 270
ZOSIA 192

CODE INDEX

710021	301
710022	301
710041	301
710042	301
710446	397
711024	117
713113	308
713114	308
713115	308
713121	113
713122	113
713123	117
713124	117
713311	120
713312	120
713313	120
713411	120
713412	124
713514	308
726217	279
726401	402
726402	402
726403	402
726404	402
726405	402
726406	402
726407	412
726408	397
727001	402
727002	402
740401	293
740402	293
740403	293
740404	293
741662	292
747406	275
752250	397
752461	327
752462	327
752463	327
752470	297
767801	432
773221	302
773222	302
773223	302
773224	302
810067	270
811201	399
811501	398
811502	399
812102	399
812103	398
812104	398
812302	399
813101	127
813104	127
819502	111
819503	111
822642	181
826423	181
833426	270
847406	275
847407	275
847408	275
852436	279
859438	90
859439	90
870026	187
870045	187
870426	198
870445	198
875409	432
910021	301
910022	301
910041	301
910042	301
8038401	417
8038801	417
8039001	417
8058001	418
8090801	418
8403622	397
8403624	397
8403626	397
9002601	418
9002840	103
9002841	103
9002850	92
9002851	92
9002860	92
9002861	365
9002862	365
9002863	353
9002864	353
9002866	74
9002867	74
9002868	74
9002869	30
9002870	30
9002871	97
9002872	97
9002873	192
9002874	192
9002875	192
9002876	364
9002877	364
9002878	97
9002879	97
9010001	428
9010002	428
9010003	428
9010004	428
9010005	428
9010006	428
9010008	282
9010009	282
9010601	304
9010602	304
9010621	304
9010622	304
9011102	435
9011161	434
9011162	434
9011163	434
9018061	386
9018062	386
9019212	417
9019213	417
9019215	414
9019216	414
9019217	414
9019218	414
9019219	415
9019220	415
9019221	415
9019222	415
9020021	331
9020022	331
9020061	331
9020921	107
9020922	107
9020923	107
9020924	107
9020925	107
9020926	107
9020927	379
9020928	109
9020929	109
9020930	109
9020931	109
9020932	308
9020933	308
9026001	94
9026002	94
9026116	287
9026117	287
9026118	287
9026119	269
9026120	411
9026122	97
9026123	57
9026124	57
9026125	39
9026126	431
9026127	431
9026128	431
9026144	407
9026145	407
9027201	264
9027202	264
9030100	247
9030101	247
9030102	247
9030103	249
9030104	249
9030105	249
9030106	34
9030107	34
9030108	34
9030111	40
9030112	40
9030113	40
9030114	66
9030115	144
9030116	144
9030117	144
9030118	144
9030133	342
9030134	342
9030135	342
9030136	342
9030137	342
9030138	344
9030139	344
9030140	344
9030141	344
9030142	344
9030143	347
9030144	347
9030145	347
9030146	347
9030147	347
9030148	288
9030149	288
9030150	288
9030151	288
9030152	178
9030153	178
9030154	136
9030155	136
9030156	136
9030157	136
9030158	265
9030159	265
9030160	27
9030161	27
9030162	175
9030163	175
9030164	314
9030165	314
9030166	314
9030167	314
9030558	153
9030559	153
9030560	153
9030561	355
9030562	355
9030563	355
9030564	355
9030565	168
9030566	168
9030567	168
9030568	170
9030569	170
9030570	170
9030571	170
9030572	32
9030573	32
9030574	32
9030575	32
9030576	271
9030577	314
9030578	314
9030579	189
9030580	177
9030581	177
9030582	177
9030583	256
9030584	256
9030585	256
9030586	177
9030587	177
9030588	177
9030589	167
9030590	167
9030591	167
9030592	167
9030593	253
9030594	253
9030595	253
9030596	253
9030597	394
9030598	394
9030599	394
9030600	394
9030601	190
9030602	190
9030603	190
9030604	190
9030605	190
9030606	190
9030607	348
9030608	348
9030609	348
9030610	348
9030611	348
9030612	348
9030613	348
9030614	348
9030615	348
9030616	348
9030617	348
9030618	348
9030619	348
9030620	348
9030621	348
9030622	350
9030623	350
9030624	272
9030625	373
9030626	28
9030627	28
9030628	178
9030629	178
9030630	258
9030631	258
9030632	258
9030633	258
9030707	251
9030708	251
9030709	251
9030710	251
9030711	356
9030712	356
9030713	356
9030714	356
9030715	356
9030716	66
9030717	66
9030718	64
9030719	64
9030720	150
9030721	150
9030722	150
9030723	73
9030724	73
9030744	57
9030745	57
9030746	292
9030747	292
9030748	88
9030749	88
9030750	88
9030751	238
9030752	238
9030753	238
9030754	182
9030755	182
9030757	407
9030758	408
9030759	408
9030760	407
9030761	407
9030766	310
9030767	310
9030768	324
9030769	324
9030774	406
9030775	406
9030776	406
9030777	406
9030800	296
9030801	296
9030802	101
9030803	101
9030804	101
9030805	37
9030806	37
9030807	254
9030808	254
9030809	403
9030810	403
9030811	383
9030812	383
9030813	383
9030814	383
9030815	291
9030816	291
9030817	291
9030818	291
9030819	403
9030820	403
9030821	330
9030822	330
9030823	323
9030824	88
9030825	88
9030826	88
9030827	294
9030828	294
9030829	294
9030830	295
9030831	295
9030832	295
9030833	295
9030834	324
9030835	324
9030836	324
9030837	324
9030838	383
9030839	383
9030840	383
9030841	383
9030842	328
9030843	328
9030844	328
9030845	328
9030846	72
9030847	72
9030848	141
9030849	141
9030850	141
9030851	139
9030854	39
9030855	39
9030856	39
9030857	87
9030858	87
9030859	87
9030860	87
9030861	87
9030862	87
9030863	101
9030864	101
9030900	236
9030901	236
9030902	236
9030903	99
9030904	99
9030905	99
9030906	99
9030907	146
9030908	146
9030909	146
9030920	424
9030921	424
9030922	266
9030923	266
9030930	266
9030931	266
9030932	378
9030933	378
9030934	290
9030935	290
9030936	290
9030937	277
9030938	277
9030939	277
9030940	277
9030941	277
9030942	277
9030943	252
9030944	252
9030945	260
9030946	260
9030947	326
9030948	326
9030949	87
9030949	326
9031616	418
9040021	331
9040022	331
9040061	331
9045418	418
9045514	418
9050700	310
9050701	310
9050702	424
9050703	326
9050704	326
9050705	408
9050706	408
9050707	411
9050707	411
9050708	411
9050710	413
9050711	413
9050712	413
9050713	413
9050714	298
9050715	298
9050716	298
9050717	298
9050718	298
9050719	298
9050720	298
9050721	298
9050722	298

9050723	298
9050724	298
9050725	298
9050726	392
9050727	392
9050728	392
9050729	284
9050730	284
9050731	139
9050732	139
9050733	139
9050734	139
9060181	192
9060182	192
9060183	192
9060184	126
9060185	126
9060192	189
9060193	189
9060194	196
9060195	196
9060196	196
9060197	196
9060199	130
9060202	306
9060203	306
9060204	306
9060205	306
9060206	263
9060207	85
9060208	85
9060213	85
9060230	81
9060231	83
9060232	81
9060233	83
9060243	78
9060244	78
9060245	78
9060246	78
9060247	70
9060248	70

9060249	70
9060250	70
9060261	77
9060262	77
9060263	77
9060264	77
9060320	81
9060321	83
9060322	83
9060323	81
9080141	44
9080142	44
9080143	44
9080144	44
9083011	413
9083021	413
9100916	105
9100917	105
9100918	105
9104021	111
9104022	111
9104835	285
9117080	400
9117082	400
9117084	400
9117086	400
9120621	156
9120622	156
9121911	362
9121912	362
9131201	118
9131202	118
9136174	275
9136175	275
9136176	286
9136177	286
9136178	330
9136179	330
9136182	297
9136183	432
9136184	432
9136185	411

9136186	411
9136187	413
9136188	413
9136400	339
9136401	339
9136402	339
9136403	339
9136404	339
9136405	339
9136405	341
9136406	235
9136407	235
9136408	235
9136409	51
9136410	389
9136411	389
9136412	389
9136413	389
9136414	389
9136415	389
9136416	384
9136417	384
9136418	384
9136419	26
9136420	128
9136421	128
9136422	47
9136423	47
9136424	47
9136425	64
9136426	64
9136427	49
9136428	49
9136429	51
9136430	51
9136431	366
9136432	366
9136433	391
9136434	391
9136435	391
9136436	391
9136437	380

9136438	380
9136439	380
9136440	380
9136441	380
9136442	380
9136443	59
9136444	59
9136445	59
9136446	232
9136447	232
9136448	184
9136449	184
9136450	283
9136451	283
9136452	341
9136453	341
9136454	341
9136455	341
9136456	255
9136457	255
9136458	255
9136459	255
9136460	53
9136461	53
9136462	54
9136463	54
9136464	184
9160081	263
9160101	270
9172870	427
9176101	175
9176102	175
9176103	367
9176104	367
9176105	272
9176106	155
9176107	155
9176108	155
9176109	155
9176110	155
9176111	102
9176112	102

9186180	225
9186181	225
9186182	226
9186183	226
9186184	204
9186185	204
9186186	204
9186703	401
9186704	227
9186705	214
9186706	214
9186707	214
9186708	214
9186709	68
9186710	68
9186712	160
9186713	160
9186714	160
9186715	162
9186716	162
9186717	162
9186718	162
9190101	156
9193101	187
9193102	187
9195061	112
9195062	112
9197701	241
9197702	241
9200201	296
9200202	296
9200611	329
9200612	329
9202261	285
9202262	285
9203111	416
9203112	416
9203113	416
9207167	90
9207168	90
9207615	94
9207616	94

9207912	134
9209211	123
9209212	123
9220021	329
9220022	329
9223403	359
9223404	359
9223405	359
9223406	359
9223407	359
9223408	359
9223409	359
9223409	360
9223409	362
9223410	360
9223410	362
9223412	360
9223413	360
9223414	360
9223415	360
9223997	362
9223998	362
9223999	362
9226214	279
9226215	279
9226216	279
9226217	279
9232115	333
9232116	334
9232117	335
9232118	336
9232119	337
9232120	338
9240677	433
9240678	433
9240679	433
9257871	269
9262111	269
9270015	260
9270016	260
9270027	260
9270028	260

9271431	132
9271432	430
9271433	132
9271491	132
9271492	430
9277151	94
9279111	134
9279112	134
9281380	352
9281381	352
9291701	130
9291702	130
9291703	130
9297191	90
9470581	425
9470582	425
9492441	353
9492442	241
9492500	189
9492510	273
9492520	273
9492540	273
9492550	263
9492560	271
9492570	270
9492580	284
9492590	272
9492600	265
9492610	263
9492620	271
9492630	269
9492640	293
9492650	293
9492660	181
9492670	387
9492680	379
9492690	387
9492700	370
9492710	241
9492720	194
9492730	194
9492740	195

9492750	195
9492760	241
9492770	74
9492780	74
9521001	323
9521002	323
9522101	313
9522102	313
9529712	313
9529713	313
9529720	313
9529721	313
9540207	206
9540208	206
9540209	223
9540210	225
9540211	217
9540212	217
9540213	216
9540214	213
9540215	213
9540216	213
9540217	206
9540218	206
9540225	202
9540226	202
9540227	224
9540228	224
9540234	220
9540235	220
9540236	220
9540237	211
9540238	211
9540239	221
9540240	221
9540241	208
9540242	208
9540268	211
9540269	211
9540271	208
9540272	208
9695505	63

9695506	63
9695507	63
9739351	219
9739352	219
9756600	172
9756800	172
9762161	219
9762162	219
9790021	216
9790022	216
9790521	222
9790522	222
9790531	222
9790532	222
9790541	223
9790542	223
9790551	223
9790552	223
9840106	139 146
9840107	139 146
9840108	139 146
9840109	139 146
9844057	427
9844058	427
9844059	427
9905021	60
9905022	60
9905023	60
9905024	60
9905025	60
9922350	370
9922360	369
9922510	369
9923400	142
9923401	142
9923402	149
9923403	149
9923404	149
9923405	244
9923406	244
9923407	244

9923408	244
9923409	249
9923410	249
9923411	230
9923412	230
9923413	230
9923414	230
9923415	230
9923416	230
9923417	230
9923418	230
9923419	243
9923420	243
9923421	243
9923422	243
9923423	272
9923500	370
9925665	296
9925666	296
9926617	263
9936101	118
9936102	118
9944141	412
9944142	412
9944602	323
9944603	323
9971451	132
9971452	132
9971453	321
9971455	430
9971456	321
9971457	299
9971458	299
9971459	299
9971460	264
9971461	264
9971462	303
9971463	303
9971464	303
9971465	139
9971466	68
9971467	68

9971468	297
9971469	297
9971470	280
9971471	280
9971472	280
9971473	280
9971474	280
9971475	280
9971476	114
9971477	114
9971478	114
71371101	124
71371102	124
GL9030850	141
GL90602431	78
GL99714531	321
GL99714561	321

PICTOGRAMS

LAMP TYPE

- LED
- BULP EXCLUDED
- BULP INCLUDED
- GU10
- E27
- E14
- G9
- GX53

LIGHT COLOR

- WARM WHITE
- CCT

EXTRAS

- MOTION SENSOR
- SOLAR SENSOR
- SWITCH ON/OFF
- ANTI SALT PROTECTION

CLASS

The protection class indicated to what extent the luminaire is protected against electric shock. All luminaires in this catalogue are at least protected with the protection class I – a higher class is specified in the information box of the respective luminaire.

CLASS I
Protective earthing

CLASS II
Protective Insulation

CLASS III
Protective Low Voltage

IP PROTECTION

The protection rating ensures the operational safety of luminaires. The first number specifies the extent of the protection against the ingress of foreign bodies, the second number identifies the humidity protection grade.

- IP54
- IP65
- IP67

DRIVER

- DRIVER INCLUDED
- DRIVER EXCLUDED

DIMMABLE

- DIMMABLE
- NOT DIMMABLE

COLORS & MATERIALS

ALLUMINIUM

- SANDY WHITE
- GRAY
- DARK GRAY
- DARK ANTHRACITE
- SANDY BLACK
- CORTEN
- ANTIQUE BROWN
- BEIGE
- SAND
- CREAM
- BASALT GRAY
- OLIVE GREEN
- SAGE GREEN
- RUST
- ORANGE
- BRASS GOLD

POLYCARBONATE

- WHITE
- SANDY WHITE
- DARK GRAY
- SANDY BLACK

CEMENT

- WHITE
- GRAY
- WHITE SANDSTONE
- BLACK SANDSTONE
- GRAY SANDSTONE

OTHERS

- MARBLE TRAVERTINE
- WHITE FIBER RESIN

light
the essence
of life

N

ben
GROUP